

# L.O.P Super Lube 5W/30 C1 Fully Synthetic Engine Oil, 5W/30 C4 Fully Synthetic Engine Oil



## Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 2/8/2017 Version: 1.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixtures  
Product name : L.O.P Super Lube 5W/30 C1 Fully Synthetic Engine Oil, 5W/30 C4 Fully Synthetic Engine Oil

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial  
For professional use only  
Use of the substance/mixture : Lubricant

##### 1.2.2. Uses advised against

Restrictions on use : No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Lucas Oil Products, Inc  
302 North Sheridan Street  
92880-2067 Corona, California - USA  
T (951) 270-0154 - F (951) 270-1902  
[GHewqill@lucasoil.com](mailto:GHewqill@lucasoil.com) - [www.LucasOil.com](http://www.LucasOil.com)

#### 1.4. Emergency telephone number

Emergency number : (951) 493-1149 (951) 847-5949 7:00A.M. to 5:00P.M. Monday thru Friday

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2 H315  
Serious eye damage/eye irritation, Category 2 H319  
Hazardous to the aquatic environment — Chronic Hazard, Category 3 H412

Full text of hazard classes and H-statements : see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

Signal word (CLP) :

Warning

Hazard statements (CLP) :

H315 - Causes skin irritation  
H319 - Causes serious eye irritation  
H412 - Harmful to aquatic life with long lasting effects

Precautionary statements (CLP) :

P264 - Wash hands thoroughly after handling  
P273 - Avoid release to the environment  
P280 - Wear eye protection, protective gloves  
P302+P352 - IF ON SKIN: Wash with plenty of water  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P321 - Specific treatment (see First aid measures on this label)  
P332+P313 - If skin irritation occurs: Get medical advice/attention  
P337+P313 - If eye irritation persists: Get medical advice/attention  
P362+P364 - Take off contaminated clothing and wash it before reuse  
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

# L.O.P Super Lube 5W/30 C1 Fully Synthetic Engine Oil, 5W/30 C4 Fully Synthetic Engine Oil

## Safety Data Sheet

according to Regulation (EU) 2015/830

EUH-statements : EUH208 - Contains N,N-bis(2-ethylhexyl)-((1,2,4-triazol-1-yl)methyl)amine(91273-04-0). May produce an allergic reaction

### 2.3. Other hazards

PBT: not yet assessed

vPvB: not yet assessed

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (DMSO <3%)	(CAS No) 72623-86-0 (EC No) 276-737-9 (EC Index No) 649-482-00-X	65 - 90	Asp. Tox. 1, H304
benzenepropanoic acid, 3,5-bis(1,1-dimethylethyl)-4-hydroxy-, C7-9-branched alkyl esters	(CAS No) 125643-61-0 (EC No) 406-040-9 (EC Index No) 607-530-00-7	0.1 - 1.5	Aquatic Chronic 4, H413
bis(nonylphenyl)amine	(CAS No) 36878-20-3 (EC No) 253-249-4	0.1 - 1.5	Aquatic Chronic 4, H413
zinc O,O',O',O'-tetrakis(1,3-dimethylbutyl) bis(phosphorodithioate)	(CAS No) 2215-35-2 (EC No) 218-679-9	< 1	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411
Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts	(CAS No) 84605-29-8 (EC No) 283-392-8	< 1	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411
Phenol, dodecyl-, branched	(CAS No) 121158-58-5 (EC No) 310-154-3	< 1	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Repr. 2, H361f Aquatic Acute 1, H400 Aquatic Chronic 1, H410
N,N-bis(2-ethylhexyl)-((1,2,4-triazol-1-yl)methyl)amine	(CAS No) 91273-04-0 (EC No) 401-280-0 (EC Index No) 613-072-00-9	< 1	Skin Corr. 1B, H314 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Diphenylamine	(CAS No) 122-39-4 (EC No) 204-539-4 (EC Index No) 612-026-00-5	< 1	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Acute Tox. 3 (Inhalation:dust,mist), H331 STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of H-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: If inhaled and if breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after skin contact	: Causes skin irritation.
Symptoms/injuries after eye contact	: Causes serious eye irritation.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Fire-fighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

# L.O.P Super Lube 5W/30 C1 Fully Synthetic Engine Oil, 5W/30 C4 Fully Synthetic Engine Oil

## Safety Data Sheet

according to Regulation (EU) 2015/830

Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Burning produces irritating, toxic and noxious fumes.

### 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Wear a self contained breathing apparatus. Wear fire/flame resistant/retardant clothing. EN469.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid all eye and skin contact and do not breathe vapour and mist.

#### 6.1.1. For non-emergency personnel

Protective equipment : Refer to section 8.2.

Emergency procedures : Evacuate unnecessary personnel.

#### 6.1.2. For emergency responders

Protective equipment : Refer to section 8.2.

Emergency procedures : Ventilate area.

### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

### 6.4. Reference to other sections

Section 13: disposal information. Section 7: safe handling. Section 8: personal protective equipment.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.

Hygiene measures : Do not eat, drink or smoke when using this product. Take off immediately all contaminated clothing and wash it before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container closed when not in use.

Incompatible products : Strong bases. Strong acids. Oxidizer.

Incompatible materials : Sources of ignition. Direct sunlight.

Storage area : Store in dry, cool, well-ventilated area.

### 7.3. Specific end use(s)

Lubricant.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (DMSO <3%) (72623-86-0)		
Diphenylamine (122-39-4)		
Austria	MAK (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup> (einatembare Fraktion), (H)
Austria	MAK (ppm)	0.7 ppm (einatembare Fraktion), (H)
Austria	MAK Short time value (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (einatembare Fraktion) max. 4x15 min./Schicht, (H)
Austria	MAK Short time value (ppm)	1.4 ppm (einatembare Fraktion) max. 4x15 min./Schicht, (H)
Belgium	Limit value (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
Czech Republic	Local name	Difenylamin

# L.O.P Super Lube 5W/30 C1 Fully Synthetic Engine Oil, 5W/30 C4 Fully Synthetic Engine Oil

## Safety Data Sheet

according to Regulation (EU) 2015/830

<b>Diphenylamine (122-39-4)</b>		
Czech Republic	Expoziční limity (PEL) (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
Czech Republic	Expoziční limity (NPK-P) (mg/m <sup>3</sup> )	20 mg/m <sup>3</sup>
Czech Republic	Remark (CZ)	D, P
Denmark	Local name	Diphenylamin
Denmark	Grænseværdie (langvarig) (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup>
Denmark	Grænseværdie (kortvarig) (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
Finland	Local name	Difenyliamiini
Finland	HTP-arvo (8h) (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup>
Finland	HTP-arvo (15 min)	10 mg/m <sup>3</sup>
France	Local name	Diphénylamine
France	VME (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
France	Note (FR)	Valeurs recommandées/admises
Germany	Local name	Diphenylamin
Germany	TRGS 900 Occupational exposure limit value (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup> E (mg/m <sup>3</sup> )
Germany	Remark (TRGS 900)	DFG,Y,H
Ireland	OEL (8 hours ref) (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
Ireland	OEL (15 min ref) (mg/m <sup>3</sup> )	20 mg/m <sup>3</sup>
Lithuania	IPRV (mg/m <sup>3</sup> )	4 mg/m <sup>3</sup>
Lithuania	TPRV (mg/m <sup>3</sup> )	12 mg/m <sup>3</sup>
Portugal	Local name	Difenilamina
Portugal	OEL TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
Slovenia	Local name	difenilamin
Slovenia	OEL TWA (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup>
Spain	Local name	Difenilamina
Spain	VLA-ED (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
Spain	Notes	s
Sweden	Local name	Difenylamin
Sweden	nivågränsvärde (NVG) (mg/m <sup>3</sup> )	4 mg/m <sup>3</sup>
Sweden	kortidsvärde (KTV) (mg/m <sup>3</sup> )	12 mg/m <sup>3</sup>
Sweden	Anmärkning (SE)	V (Vägledande korttidsgränsvärde ska användas som ett rekommenderat högsta värde som inte bör överskridas)
United Kingdom	WEL TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
United Kingdom	WEL STEL (mg/m <sup>3</sup> )	20 mg/m <sup>3</sup>
Norway	Local name	Difenylamin
Norway	Grenseverdier (AN) (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup>
Switzerland	VME (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
Switzerland	Remark (CH)	(inhalable aerosol)

### 8.2. Exposure controls

Appropriate engineering controls : Avoid splashing. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure good ventilation of the work station.

Personal protective equipment : Avoid all unnecessary exposure.

Hand protection:

Wear suitable gloves resistant to chemical penetration. nitrile rubber gloves. EN374

Eye protection:

Chemical goggles or safety glasses. EN166

Respiratory protection:

In case of inadequate ventilation wear respiratory protection. EN 136/140

# L.O.P Super Lube 5W/30 C1 Fully Synthetic Engine Oil, 5W/30 C4 Fully Synthetic Engine Oil

## Safety Data Sheet

according to Regulation (EU) 2015/830

Environmental exposure controls : Prevent leakage or spillage. Prevent contaminated water run-off.  
Other information : Do not eat, drink or smoke during use.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid  
Colour : Gold. brown.  
Odour : mild.  
Odour threshold : No data available  
pH : No data available  
Relative evaporation rate (butylacetate=1) : No data available  
Melting point : No data available  
Freezing point : No data available  
Boiling point : No data available  
Flash point :  $\approx \geq 220$  °C  
Auto-ignition temperature : No data available  
Decomposition temperature : No data available  
Flammability (solid, gas) : Non flammable.  
Vapour pressure : No data available  
Relative vapour density at 20 °C : No data available  
Relative density : 0.85 - 0.87  
Solubility : insoluble in water.  
Log Pow : No data available  
Viscosity, kinematic :  $\approx 62 - 64$  cSt @ 40 °C  
Viscosity, dynamic : No data available  
Explosive properties : No data available  
Oxidising properties : No data available  
Explosive limits : No data available

#### 9.2. Other information

No additional information available

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No dangerous reactions known.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

#### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

#### 10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidizers.

#### 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity : Not classified

#### Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (DMSO <3%) (72623-86-0)

LD50 oral rat	> 5000 mg/kg bodyweight
LD50 dermal rabbit	> 2000 mg/kg bw/day

# L.O.P Super Lube 5W/30 C1 Fully Synthetic Engine Oil, 5W/30 C4 Fully Synthetic Engine Oil

## Safety Data Sheet

according to Regulation (EU) 2015/830

<b>benzenepropanoic acid, 3,5-bis(1,1-dimethylethyl)-4-hydroxy-, C7-9-branched alkyl esters (125643-61-0)</b>	
LD50 oral rat	> 2000 mg/kg
LD50 dermal rat	> 2000 mg/kg
<b>bis(nonylphenyl)amine (36878-20-3)</b>	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rat	> 2000 mg/kg
<b>zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis(phosphorodithioate) (2215-35-2)</b>	
LD50 oral rat	2000 - 5000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
<b>Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts (84605-29-8)</b>	
LD50 oral rat	3100 mg/kg
LD50 dermal rat	> 2002 mg/kg
LC50 inhalation rat (mg/l)	> 2.3 mg/l/4h
<b>N,N-bis(2-ethylhexyl)-((1,2,4-triazol-1-yl)methyl)amine (91273-04-0)</b>	
LD50 oral rat	> 2000 mg/kg
LD50 dermal rat	> 2000 mg/kg
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Reproductive toxicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-single exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-repeated exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Aspiration hazard	: Not classified
Additional information	: Based on available data, the classification criteria are not met
<b>L.O.P Super Lube 5W/30 C1 Fully Synthetic Engine Oil, 5W/30 C4 Fully Synthetic Engine Oil</b>	
Viscosity, kinematic	≈ 62 - 64 mm <sup>2</sup> /s @ 40 °C

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.

<b>Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (DMSO &lt;3%) (72623-86-0)</b>	
LC50 fish 1	> 100 mg/l
EC50 Daphnia 1	> 10000 mg/l
NOEC (acute)	> 1000 mg/l
<b>benzenepropanoic acid, 3,5-bis(1,1-dimethylethyl)-4-hydroxy-, C7-9-branched alkyl esters (125643-61-0)</b>	
LC50 fish 1	> 74 mg/l
EC50 Daphnia 1	4.3 mg/l
ErC50 (algae)	> 3 mg/l
NOEC (acute)	100 mg/l
<b>bis(nonylphenyl)amine (36878-20-3)</b>	
LC50 fish 1	> 100 mg/l
<b>Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts (84605-29-8)</b>	
LC50 fish 1	4.5 mg/l
EC50 Daphnia 1	23 mg/l
ErC50 (algae)	21 mg/l

# L.O.P Super Lube 5W/30 C1 Fully Synthetic Engine Oil, 5W/30 C4 Fully Synthetic Engine Oil

## Safety Data Sheet

according to Regulation (EU) 2015/830

<b>Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts (84605-29-8)</b>	
NOEC (acute)	1.8 mg/l
NOEC chronic crustacea	0.8 mg/l
<b>N,N-bis(2-ethylhexyl)-((1,2,4-triazol-1-yl)methyl)amine (91273-04-0)</b>	
EC50 72h algae (1)	21 mg/l 72 h
NOEC (acute)	1.8 mg/l 96 h
<b>Diphenylamine (122-39-4)</b>	
LC50 fish 1	4.14 ppm
EC50 Daphnia 1	2.46 mg/l
EC50 other aquatic organisms 1	0.36 mg/l

### 12.2. Persistence and degradability

<b>L.O.P Super Lube 5W/30 C1 Fully Synthetic Engine Oil, 5W/30 C4 Fully Synthetic Engine Oil</b>	
Persistence and degradability	May cause long-term adverse effects in the environment.
<b>benzenepropanoic acid, 3,5-bis(1,1-dimethylethyl)-4-hydroxy-, C7-9-branched alkyl esters (125643-61-0)</b>	
Persistence and degradability	Not readily biodegradable. May cause long-term adverse effects in the environment.
<b>Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts (84605-29-8)</b>	
Biodegradation	1.5 % 28 days
<b>Diphenylamine (122-39-4)</b>	
Persistence and degradability	Not established.

### 12.3. Bioaccumulative potential

<b>L.O.P Super Lube 5W/30 C1 Fully Synthetic Engine Oil, 5W/30 C4 Fully Synthetic Engine Oil</b>	
Bioaccumulative potential	Not established.
<b>benzenepropanoic acid, 3,5-bis(1,1-dimethylethyl)-4-hydroxy-, C7-9-branched alkyl esters (125643-61-0)</b>	
Bioaccumulative potential	Bioaccumulative potential. Not established.
<b>Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts (84605-29-8)</b>	
Log Kow	0.56
<b>Diphenylamine (122-39-4)</b>	
Bioaccumulative potential	Not established.

### 12.4. Mobility in soil

<b>L.O.P Super Lube 5W/30 C1 Fully Synthetic Engine Oil, 5W/30 C4 Fully Synthetic Engine Oil</b>	
Ecology - soil	Not established.

### 12.5. Results of PBT and vPvB assessment

<b>L.O.P Super Lube 5W/30 C1 Fully Synthetic Engine Oil, 5W/30 C4 Fully Synthetic Engine Oil</b>	
PBT: not yet assessed	
vPvB: not yet assessed	

### 12.6. Other adverse effects

Additional information : Avoid release to the environment

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.  
Ecology - waste materials : Avoid release to the environment.

## SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

### 14.1. UN number

UN-No. (ADR) : Not regulated.  
UN-No. (IMDG) : Not regulated.  
UN-No. (IATA) : Not regulated.  
UN-No. (ADN) : Not regulated.  
UN-No. (RID) : Not regulated.

# L.O.P Super Lube 5W/30 C1 Fully Synthetic Engine Oil, 5W/30 C4 Fully Synthetic Engine Oil

## Safety Data Sheet

according to Regulation (EU) 2015/830

### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not regulated.  
Proper Shipping Name (IMDG) : Not regulated.  
Proper Shipping Name (IATA) : Not regulated.  
Proper Shipping Name (ADN) : Not regulated.  
Proper Shipping Name (RID) : Not regulated.

### 14.3. Transport hazard class(es)

#### ADR

Transport hazard class(es) (ADR) : Not regulated.

#### IMDG

Transport hazard class(es) (IMDG) : Not regulated.

#### IATA

Transport hazard class(es) (IATA) : Not regulated.

#### ADN

Transport hazard class(es) (ADN) : Not regulated.

#### RID

Transport hazard class(es) (RID) : Not regulated.

### 14.4. Packing group

Packing group (ADR) : Not regulated.  
Packing group (IMDG) : Not regulated.  
Packing group (IATA) : Not regulated.  
Packing group (ADN) : Not regulated.  
Packing group (RID) : Not regulated.

### 14.5. Environmental hazards

Dangerous for the environment : No  
Marine pollutant : No  
Other information : No supplementary information available

### 14.6. Special precautions for user

#### - Overland transport

Not regulated.

#### - Transport by sea

Not regulated.

#### - Air transport

Not regulated.

#### - Inland waterway transport

Not regulated.

#### - Rail transport

Not regulated.

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list



# L.O.P Super Lube 5W/30 C1 Fully Synthetic Engine Oil, 5W/30 C4 Fully Synthetic Engine Oil

## Safety Data Sheet

according to Regulation (EU) 2015/830

Contains no REACH Annex XIV substances

### 15.1.2. National regulations

#### Germany

VwVwS Annex reference : Water hazard class (WGK) 2, hazard to waters (Classification according to VwVwS, Annex 4)  
12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

#### Netherlands

SZW-lijst van kankerverwekkende stoffen : Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts ,Phenol, dodecyl-,branched are listed  
SZW-lijst van mutagene stoffen : Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts ,Phenol, dodecyl-,branched are listed  
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed  
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : None of the components are listed  
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

#### Denmark

Recommendations Danish Regulation : Pregnant/breastfeeding women working with the product must not be in direct contact with the product  
The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

Abbreviations and acronyms:

	ATE: Acute Toxicity Estimate
	CAS (Chemical Abstracts Service) number
	EC50: Environmental Concentration associated with a response by 50% of the test population.
	GHS: Globally Harmonized System (of Classification and Labeling of Chemicals).
	LD50: Lethal Dose for 50% of the test population
	STEL: Short Term Exposure Limits
	TWA: Time Weighted Average

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.  
European Chemicals Agency (ECHA) C&L Inventory database. Accessed at <http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database>.  
Krister Forsberg and S.Z. Mansdorf, "Quick Selection Guide to Chemical Protective Clothing", Fifth Edition.  
National Fire Protection Association. Fire Protection Guide to Hazardous Materials; 10th edition.

Other information : None.

Full text of H- and EUH-statements:

Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Aquatic Chronic 4	Hazardous to the aquatic environment — Chronic Hazard, Category 4
Asp. Tox. 1	Aspiration hazard, Category 1

# L.O.P Super Lube 5W/30 C1 Fully Synthetic Engine Oil, 5W/30 C4 Fully Synthetic Engine Oil

## Safety Data Sheet

according to Regulation (EU) 2015/830

Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Repr. 2	Reproductive toxicity, Category 2
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Sensitisation — Skin, Category 1
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
H301	Toxic if swallowed
H304	May be fatal if swallowed and enters airways
H311	Toxic in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H331	Toxic if inhaled
H361f	Suspected of damaging fertility
H373	May cause damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects
H413	May cause long lasting harmful effects to aquatic life
EUH208	Contains . May produce an allergic reaction

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Skin Irrit. 2	H315	Calculation method
Eye Irrit. 2	H319	Calculation method
Aquatic Chronic 3	H412	Calculation method

**SDS prepared by:** The Redstone Group, LLC.  
6077 Frantz Rd.  
Suite 206  
Dublin, Ohio, USA 43016  
614.923.7472  
[www.redstonegrp.com](http://www.redstonegrp.com)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*