

Safety Data Sheet

according to Regulation (EU) 2020/878 Issue date: 04/11/2024 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Trade name : Lucas Non-Hazardous Products

Other means of identification : Lucas Air Tool Lubricant

Lucas Engine Oil Stop Leak Lucas Heavy Duty Oil Stabilizer

Lucas High Performance SAE 20W-50 Motorcycle Oil Lucas High Performance SAE 50 Motorcycle Oil Lucas High Performance SAE 70 Motorcycle Oil

Lucas High Performance Semi-Synthetic SAE 10W-40 ATV/UTV Engine Oil Lucas High Performance Semi-Synthetic SAE 10W-40 Motorcycle Oil Lucas High Performance Synthetic SAE 10W-30 Motorcycle Oil Lucas High Performance Synthetic SAE 10W-40 Motorcycle Oil Lucas High Performance Synthetic SAE 10W-50 Motorcycle Oil Lucas High Performance Synthetic SAE 20W-50 Motorcycle Oil

Lucas Lead Replacer

Lucas Power Steering Stop Leak Lucas Primary Chain Case Oil Lucas Pure Synthetic Oil Stabilizer

Lucas Transmission Fix Lucas Upper Cylinder Lubricant Lucas White Lithium Grease

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Use of the substance/mixture : Industrial use

Professional uses Consumer use

Lubricants, Greases and Release Products

Automotive Care Products.

Uses advised against

Restrictions on use : No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier Supplier

Lucas Oil Products UK Ltd

Unit 4 Cunliffe Drive Llangefni Industrial Estate

Lucas Oil Products Europe Ltd

Block 3 Harcourt Centre Harcourt Road

LL77 7JA Llangefni, Anglesey
United Kingdom
Ireland

T 01248 723 666 T +44 344 225 5400

Info@LucasOil.co.uk, www.lucasoil.co.uk info@lucasoil.eu.com, www.lucasoil.eu.com

1.4. Emergency telephone number

Emergency number : ChemTel

1-800-255-3924 (USA, Canada, Puerto Rico, US V.I.)

+1-813-248-0585 (International)

Country/Area	Organisation/Company	Address	Emergency number	Comment
Malta	Medicines & Poisons Info Office	Mater Dei Hospital Msida MSD 2090 Msida	112 +356 2545 6508	

Safety Data Sheet

according to Regulation (EU) 2020/878

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Precautionary statements (CLP) : P102 - Keep out of reach of children.

EUH-statements : EUH210 - Safety data sheet available on request.

Extra phrases : Contains 0.5 - 5 % of components with unknown hazards to the aquatic environment.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture contains substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

Component

Substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

Phenol, (tetrapropenyl) derivatives (74499-35-7)

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Name	Product identifier	Conc.	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (Note L)	CAS-No.: 72623-87-1 EC-No.: 276-738-4 EC Index-No.: 649-483-00-5	≥ 15 – ≤ 40	Asp. Tox. 1, H304
Titanium dioxide	CAS-No.: 13463-67-7 EC-No.: 236-675-5 EC Index-No.: 022-006-00-2	≥ 10 - ≤ 20	Carc. 2, H351
Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts ZDDP	CAS-No.: 68649-42-3 EC-No.: 272-028-3	≥ 0.1 – ≤ 2	Eye Irrit. 2, H319 Aquatic Chronic 2, H411
Phenol, (tetrapropenyl) derivatives substance listed on REACH Candidate List (Phenol, alkylation products (mainly in para position) with C12-rich branched alkyl chains from oligomerisation, covering any individual isomers and/ or combinations thereof (PDDP)) substance identified as having endocrine disrupting properties	CAS-No.: 74499-35-7 EC-No.: 310-154-3 EC Index-No.: 604-092-00-9	≥ 0.01 – ≤ 0.2	Repr. 1B, H360F Skin Corr. 1C, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10)

Safety Data Sheet

according to Regulation (EU) 2020/878

Name	Product identifier	Conc.	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Ethylbenzene	CAS-No.: 100-41-4 EC-No.: 202-849-4 EC Index-No.: 601-023-00-4	< 0.001	Flam. Liq. 2, H225 Acute Tox. 4 (Inhalation), H332 Carc. 2, H351 STOT RE 2, H373 Asp. Tox. 1, H304
Naphthalene	CAS-No.: 91-20-3 EC-No.: 202-049-5 EC Index-No.: 601-052-00-2	< 0.001	Carc. 2, H351 Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1)
Toluene	CAS-No.: 108-88-3 EC-No.: 203-625-9 EC Index-No.: 601-021-00-3	< 0.0001	Flam. Liq. 2, H225 Repr. 2, H361d Asp. Tox. 1, H304 STOT RE 2, H373 Skin Irrit. 2, H315 STOT SE 3, H336
Benzene	CAS-No.: 71-43-2 EC-No.: 200-753-7 EC Index-No.: 601-020-00-8	< 0.0001	Flam. Liq. 2, H225 Carc. 1A, H350 Muta. 1B, H340 STOT RE 1, H372 Asp. Tox. 1, H304 Eye Irrit. 2, H319 Skin Irrit. 2, H315
Methanol	CAS-No.: 67-56-1 EC-No.: 200-659-6 EC Index-No.: 603-001-00-X	< 0.0001	Flam. Liq. 2, H225 Acute Tox. 3 (Inhalation), H331 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Oral), H301 STOT SE 1, H370

Specific concentration limits:		
Name	Product identifier	Specific concentration limits (Conc.)
Methanol		(3 ≤ C < 10) STOT SE 2; H371 (10 ≤ C ≤ 100) STOT SE 1; H370

Note L:

The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions – Dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class.

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation

: If inhaled and if breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If you feel unwell, seek medical advice.

First-aid measures after skin contact

: Wash skin thoroughly with mild soap and water. Take off contaminated clothing and wash it before reuse. Get medical attention if symptoms occur.

First-aid measures after eye contact

: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention if you feel unwell.

First-aid measures after ingestion

: Do not induce vomiting. Rinse mouth out with water. Get medical advice/attention if you feel unwell.

04/11/2024 (Issue date) MT - en 3/16

Safety Data Sheet

according to Regulation (EU) 2020/878

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : Not expected to present a significant inhalation hazard under anticipated conditions of

normal use.

Symptoms/effects after skin contact : Not expected to present a significant skin hazard under anticipated conditions of normal

use.

Symptoms/effects after eye contact : Not expected to present a significant eye contact hazard under anticipated conditions of

normal use.

Symptoms/effects after ingestion : Not expected to present a significant ingestion hazard under anticipated conditions of

normal use.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Dry powder. Carbon dioxide. Water spray. Foam. Use extinguishing agent suitable for

surrounding fire.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Presents no particular fire or explosion hazard. Burning produces stinking and toxic fumes.

In case of fire and/or explosion do not breathe fumes.

Hazardous decomposition products in case of fire : Toxic fumes may be released. Carbon dioxide. Carbon monoxide.

5.3. Advice for firefighters

Firefighting instructions : Evacuate the danger area. Move containers from fire area if it can be done without personal

risk. Use water spray or fog for cooling exposed containers. Fight fire from safe distance and protected location. Use extinguishing media appropriate for surrounding fire. Prevent

fire fighting water from entering the environment.

Protection during firefighting : Wear a self contained breathing apparatus. Wear fire/flame resistant/retardant clothing. Do

not attempt to take action without suitable protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid all contact with skin, eyes, or clothing.

For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Evacuate unnecessary personnel. Ventilate spillage area. Avoid contact with skin and eyes.

Avoid breathing vapours. Do not touch or walk on the spilled product. No action shall be $\frac{1}{2} \left(\frac{1}{2} \right) = \frac{1}{2} \left(\frac{1}{2} \right) \left(\frac$

taken without appropriate training or involving any personal risk.

For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment.

Emergency procedures : Evacuate unnecessary personnel. Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Stop leak without risks if possible. Contain any spills with dikes or absorbents to prevent

migration and entry into sewers or streams. Caution : this product can cause the floor to be

slippery.

Safety Data Sheet

according to Regulation (EU) 2020/878

Methods for cleaning up

: Move containers from spill area. Recover small spills with a suitable absorbent, like diatomaceous earth. For large spills, confine the spill in a dike and charge it with wet sand or earth for subsequent safe disposal. Ventilate spillage area. Clean contaminated surfaces

with an excess of water. Prevent entry to sewers and public waters.

Other information : Dispose of via an authorised person/ licensed waste disposal contractor or by other suitable waste treatment techniques. Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13. For further information refer to section 8: "Exposure controls/personal protection".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Ensure good ventilation of the work station. Provide local exhaust or general room ventilation. Do not breathe vapours. Wear personal protective equipment. Do not get in eyes, on skin, or on clothing.

Hygiene measures

: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Strong oxidizers, Strong bases, Strong acids, Store in a dry place. Keep away from food, drink and animal feedingstuffs. Keep container tightly closed. Containers which are opened should be properly resealed and kept upright to prevent leakage. Store in accordance with local, regional, national or international regulation.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

National occupational exposure and biological limit values

Ethylbenzene (100-41-4)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	Ethylbenzene	
IOEL TWA	442 mg/m³	
	100 ppm	
IOEL STEL	884 mg/m³	
	200 ppm	
Remark	Skin	
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC	
Malta - Occupational Exposure Limits		
Local name Ethylbenzene		
OEL TWA	442 mg/m³	
	100 ppm	
OEL STEL 884 mg/m³		

Safety Data Sheet

according to Regulation (EU) 2020/878

Ethylbenzene (100-41-4)		
	200 ppm	
Remark	Skin # Ġilda	
Regulatory reference	S.L. 424.24 - Chemical Agents at Work Regulations (L.N. 356 of 2021) # L.S. 424.24 - Regolamenti dwar Agenti Kimiċi fuq il-Post tax-Xogħol (A.L. 356 tal-2021)	
Toluene (108-88-3)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	Toluene	
IOEL TWA	192 mg/m³	
	50 ppm	
IOEL STEL	384 mg/m³	
	100 ppm	
Remark	Skin	
Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC	
Malta - Occupational Exposure Limits		
Local name	Toluene	
OEL TWA	192 mg/m³	
	50 ppm	
OEL STEL	384 mg/m³	
	100 ppm	
Remark	Skin # Ġilda	
Regulatory reference	S.L. 424.24 - Chemical Agents at Work Regulations (L.N. 356 of 2021) # L.S. 424.24 - Regolamenti dwar Agenti Kimići fuq il-Post tax-Xogħol (A.L. 356 tal-2021)	
Benzene (71-43-2)		
EU - Binding Occupational Exposure Limit (BOEL)		
Local name	Benzene	
BOEL TWA	0.66 mg/m³ (Limit value from 5 April 2026) 1.65 mg/m³ (Limit value until 5 April 2026)	
	0.2 ppm (Limit value from 5 April 2026) 0.5 ppm (Limit value until 5 April 2026)	
Notes	Skin (Substantial contribution to the total body burden via dermal exposure possible)	
Regulatory reference	DIRECTIVE (EU) 2022/431 (amending Directive 2004/37/EC)	
EU - Biological Limit Value (BLV)		
Local name	Benzene	
BLV	28 μg/l Parameter: benzene - Medium: blood - Sampling time: immediately end of shift 46 μg/g creatinine Parameter: phenylmercapturic - Medium: urine - Sampling time: end of exposure/shift	
Regulatory reference	SCOEL List of recommended health-based BLVs and BGVs	
Malta - Occupational Exposure Limits		
Local name	Benzene # Benżen	
OEL TWA	1.65 mg/m³ (Limit value until 5 April 2026 # Valur limitu sal-5 ta' April 2026)	
	0.5 ppm (Limit value until 5 April 2026 # Valur limitu sal-5 ta' April 2026)	

Safety Data Sheet

according to Regulation (EU) 2020/878

Benzene (71-43-2)		
Remark	Skin # Ġilda	
Regulatory reference	S.L. 424.22 - Exposure to Carcinogens, Mutagens or Reprotoxic Substances at Work Regulations (L.N. 102 of 2024) # L.S. 424.22 - Regolamenti dwar Espożizzjoni għall-Carcinogens, Mutagens jew Reprotoxic Substances fuq il-Post tax-Xogħol (A.L. 102 tal-2024)	
Naphthalene (91-20-3)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	Naphthalene	
IOEL TWA	50 mg/m³	
	10 ppm	
Remark	(Year of adoption 2010)	
Regulatory reference	COMMISSION DIRECTIVE 91/322/EEC; SCOEL Recommendations	
Malta - Occupational Exposure Limits		
Local name	Naphtalene	
OEL TWA	50 mg/m³	
	10 ppm	
Regulatory reference	S.L. 424.24 - Chemical Agents at Work Regulations (L.N. 356 of 2021) # L.S. 424.24 - Regolamenti dwar Agenti Kimići fuq il-Post tax-Xogħol (A.L. 356 tal-2021)	
Methanol (67-56-1)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	Methanol	
IOEL TWA	260 mg/m³	
	200 ppm	
Remark	Skin	
Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC	
Malta - Occupational Exposure Limits		
Local name	Methanol	
OEL TWA	260 mg/m³	
	200 ppm	
Remark	Skin # Ġilda	
Regulatory reference	S.L. 424.24 - Chemical Agents at Work Regulations (L.N. 356 of 2021) # L.S. 424.24 - Regolamenti dwar Agenti Kimići fuq il-Post tax-Xogħol (A.L. 356 tal-2021)	

Recommended monitoring procedures

Monitoring methods	
Monitoring methods	Refer to all applicable national, international and local regulations or provisions. Workplace exposure - General requirements for the performance of procedures for the measurement of chemical agents. Workplace atmospheres. Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy. Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

Safety Data Sheet

according to Regulation (EU) 2020/878

8.2. Exposure controls

Appropriate engineering controls

Appropriate engineering controls:

Provide local exhaust or general room ventilation. Ensure exposure is below occupational exposure limits (where available). Handle in accordance with good industrial hygiene and safety procedures. Avoid all unnecessary exposure.

Personal protection equipment

Personal protective equipment:

Wear recommended personal protective equipment. Personal protective equipment should be chosen according to the CEN standards and in discussion with the supplier of the protective equipment.

Eye and face protection

Eye protection:

Even though no specific eye irritation data are available, wear eye protection appropriate to conditions of use when handling this material. ISO 16321-1

Skin protection

Skin and body protection:

Wear suitable protective clothing. Skin protection appropriate to the conditions of use should be provided

Hand protection:

Colour

Particle characteristics

Chemical resistant gloves (according to European standard ISO 374-1 or equivalent). Please follow the instructions related to the permeability and the penetration time provided by the manufacturer

Respiratory protection

Respiratory protection:

No respiratory protection needed under normal use conditions. Where excessive vapour, mist, or dust may result, use approved respiratory protection equipment. EN 149

Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment. Technical onsite conditions and measures to reduce or limit discharges, air emissions and releases to soil.

Various colours.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Not available Odour Odour threshold : Not available Melting point : Not available : Not available Freezing point : Not available Boiling point Flammability : Not applicable Lower explosion limit : Not available Upper explosion limit : Not available Flash point : Not available Auto-ignition temperature : Not available Decomposition temperature : Not available pН : Not available Viscosity, kinematic : Not available Solubility : Not available : Not available Partition coefficient n-octanol/water (Log Kow) Vapour pressure : Not available : Not available Vapour pressure at 50°C Not available Density Relative density 0.847 Relative vapour density at 20°C Not available

: Not applicable

Safety Data Sheet

according to Regulation (EU) 2020/878

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport. No dangerous reactions known.

10.2. Chemical stability

Stable under normal conditions of use.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Hazardous polymerisation: Will not occur.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7). Protect from sunlight. Overheating. Extremely high or low temperatures.

10.5. Incompatible materials

LD50 dermal rabbit

Strong acids. Strong bases. Strong oxidizers.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation) : Not classified (Based on available data, the classification criteria are not met)

Acute toxicity (inhalation) :	Not classified (Based on available data, the classification criteria are not met)	
Toluene (108-88-3)		
LD50 oral rat	5580 mg/kg (OECD 401)	
LD50 dermal rabbit	> 5000 mg/kg	
LC50 Inhalation - Rat	> 28.1 mg/l/4h	
Phosphorodithioic acid, 0,0-di-C1-14-alkyl es	sters, zinc salts ZDDP (68649-42-3)	
LD50 oral rat	26100 mg/kg	
Benzene (71-43-2)		
LD50 oral rat	5970 mg/kg OECD 401	
LD50 dermal rabbit	> 9.4 mg/kg OECD 402	
LC50 Inhalation - Rat	43.7 mg/l/4h OECD 403	
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1)		
LD50 oral rat	> 5000 mg/kg	
LD50 dermal rabbit	> 2000 mg/kg	
Naphthalene (91-20-3)		
LD50 oral rat	490 mg/kg	

20 g/kg

Safety Data Sheet

according to Regulation (EU) 2020/878

LC50 Inhalation - Rat	> 340 mg/m³ 1h
Skin corrosion/irritation Serious eye damage/irritation	Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met)
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)
Toluene (108-88-3)	
STOT-single exposure	May cause drowsiness or dizziness.
Methanol (67-56-1)	
STOT-single exposure	Causes damage to organs.
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
Ethylbenzene (100-41-4)	
STOT-repeated exposure	May cause damage to organs (hearing organs) through prolonged or repeated exposure.
Toluene (108-88-3)	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Benzene (71-43-2)	
STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)
11.2. Information on other hazards	
Endocrine disrupting properties	
Adverse health effects caused by endocrine disrupting properties	: The mixture contains substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605
Component	
Phenol, (tetrapropenyl) derivatives (74499-35-7)	The substance is identified for having endocrine disrupting properties but there is no additional data available (see section 2.3)
Other information	
Other information	: No experimental study on the product is available. The information given is based on our knowledge of the components and the classification of the product is determined by calculation

SECTION 12: Ecological information

Hazardous to the	aquatic environment,	short-term

(acute)

: Not classified (Based on available data, the classification criteria are not met)

Hazardous to the aquatic environment, long-term (chronic)

: Not classified (The components used in this product which contain the branched alkylphenol impurities (shown in Section 3) have been tested and are not toxic to aquatic organisms. Therefore, the aquatic toxicity data shown in Section 3 for the alkylphenol impurity substances has not been used in classification of this product.).

Additional information

12.1. Toxicity

No experimental study on the product is available. The information given is based on our knowledge of the components and the classification of the product is determined by calculation.

Safety Data Sheet

according to Regulation (EU) 2020/878

Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts ZDDP (68649-42-3)		
LC50 - Fish [1]	10 – 35 mg/l (Pimephales promelas, OECD 203)	
EC50 - Crustacea [1]	1 – 1.5 mg/l (OECD 202)	
NOEC chronic crustacea	< 1 mg/l	
Benzene (71-43-2)		
LC50 - Fish [1]	5.3 mg/l OECD 203	
EC50 - Crustacea [1]	10 mg/l Daphnia sp. OECD 202	
ErC50 algae	100 mg/l OECD 201	
LOEC (chronic)	1.6 mg/l	
NOEC chronic crustacea	3 mg/l	
Lubricating oils (petroleum), C20-50, hydrotre	ated neutral oil-based (72623-87-1)	
LC50 - Fish [1]	> 100 mg/l	
EC50 - Crustacea [1]	> 10000 mg/l	
ErC50 algae	≥ 100 mg/l	
Phenol, (tetrapropenyl) derivatives (74499-35-7)		
NOEC (chronic)	0.002 mg/l	
Naphthalene (91-20-3)		
LC50 - Fish [1]	0.91 (0.91 – 2.82) mg/l Oncornhynchus mykiss	
LC50 - Fish [2]	1 (1 – 6.5) mg/l Pimpephales promelas	
EC50 - Crustacea [1]	1.96 mg/l	
EC50 - Other aquatic organisms [1]	33 mg/l	
LOEC (acute)	3.2 mg/l	

12.2. Persistence and degradability

Lucas Non-Hazardous Products		
Persistence and degradability	Biodegradability in water: no data available.	
Toluene (108-88-3)		
Persistence and degradability	Readily biodegradable, in water.	
Biochemical oxygen demand (BOD)	2.15 g O ₂ /g substance	
Chemical oxygen demand (COD)	2.52 g O ₂ /g substance	
ThOD	3.13 g O ₂ /g substance	
BOD (% of ThOD)	0.69 % ThOD	
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1)		
Persistence and degradability	Not readily biodegradable.	
Biodegradation	2 – 4 %	

12.3. Bioaccumulative potential

Lucas Non-Hazardous Products	
Bioaccumulative potential	No data available concerning bioaccumulation.

Safety Data Sheet

according to Regulation (EU) 2020/878

Toluene (108-88-3)		
BCF - Fish [2]	90 (72h; Leuciscus idus)	
Partition coefficient n-octanol/water (Log Pow)	2.73 (20°C)	
Bioaccumulative potential	Low bioaccumulation potential.	
Benzene (71-43-2)		
BCF - Fish [1]	3.5 – 4.4	
Bioconcentration factor (BCF REACH)	0	
Partition coefficient n-octanol/water (Log Pow)	1.83	
Phenol, (tetrapropenyl) derivatives (74499-35-7)		
Partition coefficient n-octanol/water (Log Pow)	7.17	
Naphthalene (91-20-3)		
BCF - Fish [1]	≥ 427 (427 – 1158)	

12.4. Mobility in soil

Lucas Non-Hazardous Products		
Ecology - soil	No additional information available.	
Toluene (108-88-3)		
Surface tension	0.03 N/m (20°C)	
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1)		
Mobility in soil	22 %	

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties

: The mixture contains substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

Component	
Phenol, (tetrapropenyl) derivatives (74499-35-7)	The substance is identified for having endocrine disrupting properties but there is no additional data available (see section 2.3)

12.7. Other adverse effects

Other adverse effects : No additional information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

Sewage disposal recommendations

Product/Packaging disposal recommendations

Ecological waste information

European List of Waste (LoW, EC 2000/532)

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : Do not dispose of waste into sewer.
- : Dispose in a safe manner in accordance with local/national regulations.
- : Avoid release to the environment.
- : Disposal must be carried out using appropriate EWC code

04/11/2024 (Issue date) MT - en 12/16

Safety Data Sheet

according to Regulation (EU) 2020/878

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID		
14.1. UN number or ID n	14.1. UN number or ID number					
Not regulated for transport						
14.2. UN proper shippin	g name					
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated		
14.3. Transport hazard o	class(es)					
Not regulated	Not regulated Not regulated Not regulate		Not regulated	Not regulated		
14.4. Packing group	14.4. Packing group					
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated		
14.5. Environmental hazards						
Not regulated	Not regulated Not regulated Not regulated Not regulated		Not regulated			
No supplementary information available						

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

Inland waterway transport

Not regulated

Rail transport

Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains substance(s) listed on the REACH Candidate List in concentrations ≥ 0.1 % or SCL: Phenol, alkylation products (mainly in para position) with C12-rich branched alkyl chains from oligomerisation, covering any individual isomers and/ or combinations thereof (PDDP) (EC 310-154-3, CAS 74499-35-7)

Safety Data Sheet

according to Regulation (EU) 2020/878

PIC Regulation (Prior Informed Consent)

Contains substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals): Benzene (71-43-2)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Name	CN designation	CAS-No.	CN code	Category, Subcategory	Threshold	Annex
Toluene		108-88-3	2902 30 00	Category 3		Annex I

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BLV	Biological limit value	
CAS-No.	Chemical Abstract Service number	
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC50	Median effective concentration	
EC-No.	European Community number	
EN	European Standard	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OEL	Occupational Exposure Limit	

Safety Data Sheet

according to Regulation (EU) 2020/878

Abbreviations and acronyms:		
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
vPvB	Very Persistent and Very Bioaccumulative	
WGK	Water Hazard Class	

Data sources

: ECHA (European Chemicals Agency). Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 and all its amendments and modifications. Supplier's safety documents.

Training advice

: Training staff on good practice.

Full text of H- and EUH-statements:		
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3	
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3	
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Asp. Tox. 1	Aspiration hazard, Category 1	
Carc. 1A	Carcinogenicity, Category 1A	
Carc. 2	Carcinogenicity, Category 2	
EUH210	Safety data sheet available on request.	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 2	Flammable liquids, Category 2	
H225	Highly flammable liquid and vapour.	
H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H311	Toxic in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H331	Toxic if inhaled.	
H332	Harmful if inhaled.	
H336	May cause drowsiness or dizziness.	

Safety Data Sheet

according to Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
H340	May cause genetic defects.	
H350	May cause cancer.	
H351	Suspected of causing cancer.	
H360F	May damage fertility.	
H361d	Suspected of damaging the unborn child.	
H370	Causes damage to organs.	
H371	May cause damage to organs.	
H372	Causes damage to organs through prolonged or repeated exposure.	
H373	May cause damage to organs through prolonged or repeated exposure.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
Muta. 1B	Germ cell mutagenicity, Category 1B	
Repr. 1B	Reproductive toxicity, Category 1B	
Repr. 2	Reproductive toxicity, Category 2	
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
STOT RE 1	Specific target organ toxicity – Repeated exposure, Category 1	
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2	
STOT SE 1	Specific target organ toxicity – single exposure, Category 1	
STOT SE 2	Specific target organ toxicity – Single exposure, Category 2	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.