



Lucas High Performance Synthetic SAE 10W-40 Motorcycle Oil With Moly  
Lucas High Performance Synthetic Fork Oil Extra Heavy (20 wt)  
Lucas Synthetic SAE 50 Transmission Oil  
Lucas Automatic Transmission Fluid Conditioner  
L.O.P. Super Lube Fully Synthetic 5w-30 C2 Motor Oil  
L.O.P. Super Lube Fully Synthetic 5w-30 C3 Motor Oil  
L.O.P. Super Lube Fully Synthetic 5w-30 FORD-D Motor Oil  
L.O.P. Super Lube Fully Synthetic 5w-30 GM Motor Oil  
L.O.P. Super Lube Fully Synthetic 5w-30 VAG Motor Oil  
L.O.P. Super Lube Fully Synthetic 5w-40 PD Motor Oil  
Lucas Synthetic Multi-Vehicle CVT Fluid  
Lucas Universal Hydraulic & Transmission Fluid  
Lucas Slick Mist Speed Wax

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878  
Issue date: 01/04/2022 Version: 1.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Trade name : Lucas High Performance Synthetic SAE 10W-40 Motorcycle Oil With Moly  
Lucas High Performance Synthetic Fork Oil Extra Heavy (20 wt)  
Lucas Synthetic SAE 50 Transmission Oil  
Lucas Automatic Transmission Fluid Conditioner  
L.O.P. Super Lube Fully Synthetic 5w-30 C2 Motor Oil  
L.O.P. Super Lube Fully Synthetic 5w-30 C3 Motor Oil  
L.O.P. Super Lube Fully Synthetic 5w-30 FORD-D Motor Oil  
L.O.P. Super Lube Fully Synthetic 5w-30 GM Motor Oil  
L.O.P. Super Lube Fully Synthetic 5w-30 VAG Motor Oil  
L.O.P. Super Lube Fully Synthetic 5w-40 PD Motor Oil  
Lucas Synthetic Multi-Vehicle CVT Fluid  
Lucas Universal Hydraulic & Transmission Fluid  
Lucas Slick Mist Speed Wax  
Product code :

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Intended for general public  
Main use category : Industrial use, Professional use, Consumer use  
Use of the substance/mixture : Lubricant

##### 1.2.2. Uses advised against

Restrictions on use : No additional information

#### 1.3. Details of the supplier of the safety data sheet

##### Supplier

Lucas Oil Products UK Ltd  
Unit 4 Cunliffe Drive  
Llangefni Industrial Estate  
LL77 7JA Llangefni  
Anglesey - UK  
T 01248 723 666  
[Info@LucasOil.co.uk](mailto:Info@LucasOil.co.uk) - [www.lucasoil.co.uk](http://www.lucasoil.co.uk)

##### Supplier

Lucas Oil Products Europe Ltd  
Block 3 Harcourt Centre  
Harcourt Road  
Dublin 2  
Ireland  
T +44 344 225 5400  
[info@lucasoil.eu.com](mailto:info@lucasoil.eu.com) [www.lucasoil.eu.com](http://www.lucasoil.eu.com)

#### 1.4. Emergency telephone number

Emergency number : ChemTel  
1-800-255-3924 (USA, Canada, Puerto Rico, US V.I.)  
+1-813-248-0585 (International)

Lucas High Performance Synthetic SAE 10W-40 Motorcycle Oil With Moly  
 Lucas High Performance Synthetic Fork Oil Extra Heavy (20 wt)  
 Lucas Synthetic SAE 50 Transmission Oil  
 Lucas Automatic Transmission Fluid Conditioner  
 L.O.P. Super Lube Fully Synthetic 5w-30 C2 Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-30 C3 Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-30 FORD-D Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-30 GM Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-30 VAG Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-40 PD Motor Oil  
 Lucas Synthetic Multi-Vehicle CVT Fluid  
 Lucas Universal Hydraulic & Transmission Fluid  
 Lucas Slick Mist Speed Wax

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Country	Organisation/Company	Address	Emergency number	Comment
Malta	Medicines & Poisons Info Office	Mater Dei Hospital MSD 2090 Msida	+356 2545 6508	

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008

Hazardous to the aquatic environment – Chronic Hazard Not classified

Full text of H- and EUH-statements: see section 16

##### Adverse physicochemical, human health and environmental effects

No data available

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements

: L.O.P. Super Lube Fully Synthetic 5w-30 C2 Motor Oil, L.O.P. Super Lube Fully Synthetic 5w-30 C3 Motor Oil, L.O.P. Super Lube Fully Synthetic 5w-30 FORD-D Motor Oil, L.O.P. Super Lube Fully Synthetic 5w-30 GM Motor Oil, L.O.P. Super Lube Fully Synthetic 5w-30 VAG Motor Oil, L.O.P. Super Lube Fully Synthetic 5w-40 PD Motor Oil: EUH208 – Contains C14-16-18 Alkyl phenol. May produce an allergic reaction.

Lucas Automatic Transmission Fluid Conditioner: EUH208 - Contains Acetamide, 2-hydroxy-, N,N-dicoco alkyl derivs, 1-(tert-Dodecylthio)propan-2-ol(67124-09-8), 1,2-Propanediol, 3-amino, N,N-dicoco alkyl derivs. May produce an allergic reaction.

Lucas Synthetic SAE 50 Transmission Oil: EUH208 - Contains N,N-bis(2-ethylhexyl)-ar-methyl-1H-benzotriazole-1-methanamine(94270-86-7), Benzenesulfonic acid, propenated, calcium salt, overbased(68610-84-4). May produce an allergic reaction.

Lucas High Performance Synthetic SAE 10W-40 Motorcycle Oil With Moly: EUH208 – Contains Oxymolybdenum di-2-ethylhexyl phos-phorodithioate, sulfurized(72030-25-2). May produce an allergic reaction.

Lucas High Performance Synthetic Fork Oil Extra Heavy (20 wt): EUH208 –Contains Oxymolybdenum di-2-ethylhexyl phos-phorodithioate, sulfurized(72030-25-2). May produce an allergic reaction.

Lucas Synthetic Multi-Vehicle CVT Fluid EUH208 – Contains Acetamide, 2-hydroxy-, N,N-dicoco alkyl derivs, c14-18 alpha-olefin epoxide, reaction products with boric acid, 1,2-Propanediol, 3-amino, N,N-dicoco alkyl derivs. May produce an allergic reaction.

Lucas Universal Hydraulic & Transmission Fluid: EUH208 - Contains Benzenesulfonic acid, propenated, calcium salt, overbased(68610-84-4). May produce an allergic reaction.

Lucas Slick Mist Speed Wax - EUH208 - Contains 1,2-benzisothiazolone(2634-33-5). May produce an allergic reaction. .  
 EUH210 - Safety data sheet available on request.

Lucas High Performance Synthetic SAE 10W-40 Motorcycle Oil With Moly  
 Lucas High Performance Synthetic Fork Oil Extra Heavy (20 wt)  
 Lucas Synthetic SAE 50 Transmission Oil  
 Lucas Automatic Transmission Fluid Conditioner  
 L.O.P. Super Lube Fully Synthetic 5w-30 C2 Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-30 C3 Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-30 FORD-D Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-30 GM Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-30 VAG Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-40 PD Motor Oil  
 Lucas Synthetic Multi-Vehicle CVT Fluid  
 Lucas Universal Hydraulic & Transmission Fluid  
 Lucas Slick Mist Speed Wax

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Unknown acute toxicity (CLP: Classification, Labelling, Packaging.) - SDS : 0.78% of the mixture consists of ingredient(s) of unknown acute toxicity (Oral)  
 0.78% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal)  
 0.78% of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Dust/Mist))

Unknown hazards to the aquatic environment (CLP) : Contains 4.63 % of components with unknown hazards to the aquatic environment

Child-resistant fastening : Not applicable

Tactile warning : Not applicable

### 2.3. Other hazards

Contains PBT/vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

Component	
Distillates (petroleum), hydrotreated heavy paraffinic (DMSO < 3%) (64742-54-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (DMSO < 3%) (72623-87-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Decamethylcyclopentasiloxane (D5) (541-02-6)	This substance meets the PBT criteria of REACH regulation, annex XIII This substance meets the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Component	
Decamethylcyclopentasiloxane (D5)(541-02-6)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Distillates (petroleum), hydrotreated heavy paraffinic (DMSO < 3%) substance with a Community workplace exposure limit (Note L)	CAS-No.: 64742-54-7 EC-No.: 265-157-1 EC Index-No.: 649-467-00-8 REACH-no: 01-2119484627-0018	0 - 96	Carc. Not classified Asp. Tox. 1, H304
Distillates (petroleum), hydrotreated light paraffinic (DMSO <3%) (Note L)	CAS-No.: 64742-55-8 EC-No.: 265-158-7 EC Index-No.: 649-468-00-3	0 - 55	Carc. Not classified Asp. Tox. 1, H304
1-Decene, homopolymer, hydrogenated	CAS-No.: 68037-01-4 EC-No.: 212-819-2	0 - 30	Asp. Tox. 1, H304

Lucas High Performance Synthetic SAE 10W-40 Motorcycle Oil With Moly  
 Lucas High Performance Synthetic Fork Oil Extra Heavy (20 wt)  
 Lucas Synthetic SAE 50 Transmission Oil  
 Lucas Automatic Transmission Fluid Conditioner  
 L.O.P. Super Lube Fully Synthetic 5w-30 C2 Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-30 C3 Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-30 FORD-D Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-30 GM Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-30 VAG Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-40 PD Motor Oil  
 Lucas Synthetic Multi-Vehicle CVT Fluid  
 Lucas Universal Hydraulic & Transmission Fluid  
 Lucas Slick Mist Speed Wax

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Distillates (petroleum), solvent-dewaxed heavy paraffinic (DMSO < 3%) (Note L)	CAS-No.: 64742-65-0 EC-No.: 265-169-7 EC Index-No.: 649-474-00-6	0 - 30	Carc. Not classified Asp. Tox. 1, H304
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	CAS-No.: 68411-46-1 EC-No.: 270-128-1	0 - 5	STOT RE Not classified Aquatic Chronic 3, H412
Benzenamine, N-phenyl-, reaction products with isobutylene and ,4,4-trimethylpentene	CAS-No.: 184378-08-3 EC-No.: 606-029-0	0 - 5	Aquatic Chronic 3, H412
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (DMSO < 3%) (Note L)	CAS-No.: 72623-87-1 EC-No.: 276-738-4 EC Index-No.: 649-483-00-5	0 - 5	Carc. Not classified Asp. Tox. 1, H304
Mineral oil (DMSO <3%) substance with a Community workplace exposure limit	CAS-No.: mixture	0 - 5	Not classified
Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts	CAS-No.: 68649-42-3 EC-No.: 272-028-3	0 - 2.5	Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
Lubricating oils, petroleum, hydrotreated spent	CAS-No.: 64742-58-1 EC-No.: 265-161-3	0 - 2	Acute Tox. 4 (Inhalation:dust,mist), H332
Residual oils (petroleum), solvent refined (DMSO <3%)	CAS-No.: 64742-01-4 EC-No.: 265-101-6 EC Index-No.: 649-459-00-4	0 - 1.2	Carc. Not classified Asp. Tox. 1, H304
Dibutyl phosphite	CAS-No.: 1809-19-4 EC-No.: 217-316-1	0 - 1.1	Skin Irrit. 2, H315 Eye Irrit. 2, H319
C14-16-18 Alkyl phenol	EC-No.: 931-468-2	0 - <1	Skin Sens. 1B, H317 Aquatic Chronic 4, H413
Oxymolybdenum di-2-ethylhexyl phos-phorodithioate, sulfurized	CAS-No.: 72030-25-2 EC-No.: 615-708-0	0 - <1	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 3, H412
1,2-Propanediol, 3-amino, N,N-dicoco alkyl derivs.	EC-No.: 482-000-4	0 - 0.25	Skin Sens. 1B, H317 Aquatic Chronic 3, H412
Acetamide, 2-hydroxy-, N,N-dicoco alkyl derivs.	EC-No.: 471-920-1	0 - 0.25	Skin Sens. 1B, H317
N,N-bis(2-ethylhexyl)-ar-methyl-1H-benzotriazole-1-methanamine	CAS-No.: 94270-86-7 EC-No.: 619-007-0	0 - <0.25	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
1-(tert-Dodecylthio)propan-2-ol	CAS-No.: 67124-09-8 EC-No.: 266-582-5	0 - 0.125	Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Decamethylcyclopentasiloxane (D5)	CAS-No.: 541-02-6	0 - 0.125	Not classified

Lucas High Performance Synthetic SAE 10W-40 Motorcycle Oil With Moly  
 Lucas High Performance Synthetic Fork Oil Extra Heavy (20 wt)  
 Lucas Synthetic SAE 50 Transmission Oil  
 Lucas Automatic Transmission Fluid Conditioner  
 L.O.P. Super Lube Fully Synthetic 5w-30 C2 Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-30 C3 Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-30 FORD-D Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-30 GM Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-30 VAG Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-40 PD Motor Oil  
 Lucas Synthetic Multi-Vehicle CVT Fluid  
 Lucas Universal Hydraulic & Transmission Fluid  
 Lucas Slick Mist Speed Wax

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
substance listed as REACH Candidate (Decamethylcyclopentasiloxane) PBT substance; vPvB substance	EC-No.: 208-764-9		
Benzenesulfonic acid, propenated, calcium salt, overbased	CAS-No.: 68610-84-4 EC-No.: 271-877-7	0 -0.2	Skin Sens. 1B, H317 Aquatic Chronic 4, H413
1,2-benzisothiazolone	CAS-No.: 2634-33-5 EC-No.: 220-120-9 EC Index-No.: 613-088-00-6	0 - 0.0125	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400

Specific concentration limits		
Name	Product identifier	Specific concentration limits
1,2-benzisothiazolone	CAS-No.: 2634-33-5 EC-No.: 220-120-9 EC Index-No.: 613-088-00-6	( 0.05 ≤C < 100) Skin Sens. 1, H317

Note L : The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions — Dimethyl sulphoxide extraction refractive index method', Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3. Full text of H- and EUH-statements: see section 16

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

- First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
- First-aid measures after inhalation : If inhaled and if breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Allow the victim to rest.
- First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
- First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
- First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.
- Symptoms/effects after skin contact : Prolonged or repeated contact may cause skin to become dry or cracked.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

- Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Lucas High Performance Synthetic SAE 10W-40 Motorcycle Oil With Moly  
Lucas High Performance Synthetic Fork Oil Extra Heavy (20 wt)  
Lucas Synthetic SAE 50 Transmission Oil  
Lucas Automatic Transmission Fluid Conditioner  
L.O.P. Super Lube Fully Synthetic 5w-30 C2 Motor Oil  
L.O.P. Super Lube Fully Synthetic 5w-30 C3 Motor Oil  
L.O.P. Super Lube Fully Synthetic 5w-30 FORD-D Motor Oil  
L.O.P. Super Lube Fully Synthetic 5w-30 GM Motor Oil  
L.O.P. Super Lube Fully Synthetic 5w-30 VAG Motor Oil  
L.O.P. Super Lube Fully Synthetic 5w-40 PD Motor Oil  
Lucas Synthetic Multi-Vehicle CVT Fluid  
Lucas Universal Hydraulic & Transmission Fluid  
Lucas Slick Mist Speed Wax

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Burning produces irritating, toxic and noxious fumes.

### 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Wear a self contained breathing apparatus. Wear fire/flame resistant/retardant clothing. EN469.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid all eye and skin contact and do not breathe vapour and mist.

#### 6.1.1. For non-emergency personnel

Protective equipment : Refer to section 8.2.

Emergency procedures : Evacuate unnecessary personnel.

#### 6.1.2. For emergency responders

Protective equipment : Refer to section 8.2.

Emergency procedures : Ventilate area.

### 6.2. Environmental precautions

Prevent entry to sewers and public waters.

### 6.3. Methods and material for containment and cleaning up

For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. On land, sweep or shovel into suitable containers. Collect spillage.

### 6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid all eye and skin contact and do not breathe vapour and mist.

Hygiene measures : Do not eat, drink or smoke when using this product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container closed when not in use. Keep only in the original container in a cool well ventilated place.

Incompatible products : Strong bases. Strong acids. Strong oxidizers.

### 7.3. Specific end use(s)

Lubricant.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Lucas High Performance Synthetic SAE 10W-40 Motorcycle Oil With Moly  
Lucas High Performance Synthetic Fork Oil Extra Heavy (20 wt)  
Lucas Synthetic SAE 50 Transmission Oil  
Lucas Automatic Transmission Fluid Conditioner  
L.O.P. Super Lube Fully Synthetic 5w-30 C2 Motor Oil  
L.O.P. Super Lube Fully Synthetic 5w-30 C3 Motor Oil  
L.O.P. Super Lube Fully Synthetic 5w-30 FORD-D Motor Oil  
L.O.P. Super Lube Fully Synthetic 5w-30 GM Motor Oil  
L.O.P. Super Lube Fully Synthetic 5w-30 VAG Motor Oil  
L.O.P. Super Lube Fully Synthetic 5w-40 PD Motor Oil  
Lucas Synthetic Multi-Vehicle CVT Fluid  
Lucas Universal Hydraulic & Transmission Fluid  
Lucas Slick Mist Speed Wax

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 8.1.1. National occupational exposure and biological limit values

Distillates (petroleum), hydrotreated heavy paraffinic (DMSO < 3%) (64742-54-7)	
<b>EU - Indicative Occupational Exposure Limit (IOEL)</b>	
IOEL TWA	5 mg/m <sup>3</sup> 8-h (inhalable)
Mineral oil (DMSO <3%) (mixture)	
<b>EU - Indicative Occupational Exposure Limit (IOEL)</b>	
IOEL TWA	5 mg/m <sup>3</sup> 8 h

### 8.1.2. Recommended monitoring procedures

No data available

### 8.1.3. Air contaminants formed

No data available

### 8.1.4. DNEL and PNEC

No data available

### 8.1.5. Control banding

No data available

## 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Avoid splashing. Ensure good ventilation of the work station.

### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Avoid all unnecessary exposure.

#### 8.2.2.1. Eye and face protection

##### Eye protection:

In case of splashing or aerosol production: protective goggles. EN166

#### 8.2.2.2. Skin protection

##### Skin and body protection:

Long sleeved protective clothing

##### Hand protection:

Wear suitable gloves. nitrile rubber gloves. EN374

#### 8.2.2.3. Respiratory protection

##### Respiratory protection:

In case of inadequate ventilation wear respiratory protection. Approved respirator. EN 12083

#### 8.2.2.4. Thermal hazards

No data available

Lucas High Performance Synthetic SAE 10W-40 Motorcycle Oil With Moly  
Lucas High Performance Synthetic Fork Oil Extra Heavy (20 wt)  
Lucas Synthetic SAE 50 Transmission Oil  
Lucas Automatic Transmission Fluid Conditioner  
L.O.P. Super Lube Fully Synthetic 5w-30 C2 Motor Oil  
L.O.P. Super Lube Fully Synthetic 5w-30 C3 Motor Oil  
L.O.P. Super Lube Fully Synthetic 5w-30 FORD-D Motor Oil  
L.O.P. Super Lube Fully Synthetic 5w-30 GM Motor Oil  
L.O.P. Super Lube Fully Synthetic 5w-30 VAG Motor Oil  
L.O.P. Super Lube Fully Synthetic 5w-40 PD Motor Oil  
Lucas Synthetic Multi-Vehicle CVT Fluid  
Lucas Universal Hydraulic & Transmission Fluid  
Lucas Slick Mist Speed Wax

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Prevent contaminated water run-off. Prevent leakage or spillage.

#### Other information:

Do not eat, drink or smoke when using this product.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Various colours.
Odour	: Not available
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Not available
Explosive limits	: Not available
Lower explosion limit	: Not available
Upper explosive limit (UEL)	: Not available
Flash point	: Not available
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: Not available
Viscosity, kinematic	: > 20 mm <sup>2</sup> /s @ 40 C
Solubility	: Not available
Log Kow	: Not available
Vapour pressure	: Not available
Vapour pressure at 50 °C	: Not available
Density	: Not available
Relative density	: Not available
Relative vapour density at 20 °C	: Not available
Particle size	: Not applicable
Particle size distribution	: Not applicable
Particle shape	: Not applicable
Particle aspect ratio	: Not applicable
Particle aggregation state	: Not applicable
Particle agglomeration state	: Not applicable
Particle specific surface area	: Not applicable
Particle dustiness	: Not applicable

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No data available

#### 9.2.2. Other safety characteristics

No data available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity



Lucas High Performance Synthetic SAE 10W-40 Motorcycle Oil With Moly  
 Lucas High Performance Synthetic Fork Oil Extra Heavy (20 wt)  
 Lucas Synthetic SAE 50 Transmission Oil  
 Lucas Automatic Transmission Fluid Conditioner  
 L.O.P. Super Lube Fully Synthetic 5w-30 C2 Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-30 C3 Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-30 FORD-D Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-30 GM Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-30 VAG Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-40 PD Motor Oil  
 Lucas Synthetic Multi-Vehicle CVT Fluid  
 Lucas Universal Hydraulic & Transmission Fluid  
 Lucas Slick Mist Speed Wax

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

No dangerous reactions known.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

### 10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidizers.

### 10.6. Hazardous decomposition products

None under normal use.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified  
 Acute toxicity (dermal) : Not classified  
 Acute toxicity (inhalation) : Not classified

1-Decene, homopolymer, hydrogenated (68037-01-4)	
LD50 Oral rat	> 5000 mg/kg bodyweight
LD50 Dermal rat	> 2000 mg/kg
LC50 Inhalation rat (dust/mist)	> 5.2 mg/l/4h
Distillates (petroleum), hydrotreated heavy paraffinic (DMSO < 3%) (64742-54-7)	
LD50 Oral rat	> 5000 mg/kg
LD50 Dermal rabbit	> 2000 mg/kg
LC50 Inhalation rat	> 5.53 mg/l/4h
Distillates (petroleum), hydrotreated light paraffinic (DMSO <3%) (64742-55-8)	
LD50 Oral rat	> 5000 mg/kg bodyweight
LD50 Dermal rabbit	> 2000 mg/kg bodyweight
LC50 Inhalation rat	> 10.5 mg/l/4h
Distillates (petroleum), solvent-dewaxed heavy paraffinic (DMSO < 3%) (64742-65-0)	
LD50 Oral rat	> 5000 mg/kg
LD50 Dermal rabbit	> 2000 mg/kg
Mineral oil (DMSO <3%) (mixture)	
LD50 Oral rat	> 5000 mg/kg
LD50 Dermal rabbit	> 5000 mg/kg
LC50 Inhalation rat	> 5000 mg/m <sup>3</sup> 4 h

Lucas High Performance Synthetic SAE 10W-40 Motorcycle Oil With Moly  
 Lucas High Performance Synthetic Fork Oil Extra Heavy (20 wt)  
 Lucas Synthetic SAE 50 Transmission Oil  
 Lucas Automatic Transmission Fluid Conditioner  
 L.O.P. Super Lube Fully Synthetic 5w-30 C2 Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-30 C3 Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-30 FORD-D Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-30 GM Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-30 VAG Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-40 PD Motor Oil  
 Lucas Synthetic Multi-Vehicle CVT Fluid  
 Lucas Universal Hydraulic & Transmission Fluid  
 Lucas Slick Mist Speed Wax

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

<b>Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts (68649-42-3)</b>	
LD50 Oral rat	26100 mg/kg
<b>1-(tert-Dodecylthio)propan-2-ol (67124-09-8)</b>	
LD50 Oral rat	> 5000 mg/kg
LD50 Dermal rabbit	> 2000 mg/kg
<b>1,2-Propanediol, 3-amino, N,N-dicoco alkyl derivs.</b>	
LD50 Oral rat	> 2500 mg/kg
LD50 Dermal rat	> 2000 mg/kg
<b>Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1)</b>	
LD50 Oral rat	> 5000 mg/kg
LD50 Dermal rat	> 2000 mg/kg
<b>Benzenamine, N-phenyl-, reaction products with isobutylene and ,4,4-trimethylpentene (184378-08-3)</b>	
LD50 Oral rat	> 5000 mg/kg
LD50 Dermal rat	> 2000 mg/kg
<b>Benzenesulfonic acid, propenated, calcium salt, overbased (68610-84-4)</b>	
LD50 Oral rat	> 5000 mg/kg
LD50 Dermal rat	> 5000 mg/kg bodyweight
LC50 Inhalation rat	> 1.9 mg/l/4h read-across Sulfonic acids, petroleum, calcium salts, overbased
<b>C14-16-18 Alkyl phenol</b>	
LD50 Oral rat	> 2000 mg/kg
LD50 Dermal rat	> 2000 mg/kg
<b>Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (DMSO &lt; 3%) (72623-87-1)</b>	
LD50 Oral rat	> 5000 mg/kg bodyweight
LD50 Dermal rabbit	> 2000 mg/kg bodyweight
<b>Lubricating oils, petroleum, hydrotreated spent (64742-58-1)</b>	
LD50 Oral rat	> 5000 mg/kg
LD50 Dermal rat	> 2000 mg/kg
LD50 Dermal rabbit	> 4480 mg/kg
LC50 Inhalation rat	2.18 mg/l
<b>N,N-bis(2-ethylhexyl)-ar-methyl-1H-benzotriazole-1-methanamine (94270-86-7)</b>	
LD50 Oral rat	3313 mg/kg

Lucas High Performance Synthetic SAE 10W-40 Motorcycle Oil With Moly  
 Lucas High Performance Synthetic Fork Oil Extra Heavy (20 wt)  
 Lucas Synthetic SAE 50 Transmission Oil  
 Lucas Automatic Transmission Fluid Conditioner  
 L.O.P. Super Lube Fully Synthetic 5w-30 C2 Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-30 C3 Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-30 FORD-D Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-30 GM Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-30 VAG Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-40 PD Motor Oil  
 Lucas Synthetic Multi-Vehicle CVT Fluid  
 Lucas Universal Hydraulic & Transmission Fluid  
 Lucas Slick Mist Speed Wax

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

<b>N,N-bis(2-ethylhexyl)-ar-methyl-1H-benzotriazole-1-methanamine (94270-86-7)</b>	
LD50 Dermal rat	> 2000 mg/kg
<b>Oxymolybdenum di-2-ethylhexyl phos-phorodithioate, sulfurized (72030-25-2)</b>	
LD50 Oral rat	6.81 ml/kg
LD50 Dermal rabbit	10 ml/kg
<b>Residual oils (petroleum), solvent refined (DMSO &lt;3%) (64742-01-4)</b>	
LD50 Oral rat	> 5000 mg/kg
LD50 Dermal rabbit	> 5000 mg/kg
LC50 Inhalation rat	> 20 mg/l
<b>Decamethylcyclopentasiloxane (D5) (541-02-6)</b>	
LD50 Oral rat	> 5000 mg/kg
LD50 Dermal rabbit	> 2000 mg/kg
LC50 Inhalation rat	8.67 mg/l/4h
Unknown acute toxicity (CLP: Classification, Labelling, Packaging.) - SDS	: 0.78% of the mixture consists of ingredient(s) of unknown acute toxicity (Oral) 0.78% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal) 0.78% of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Dust/Mist))
Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met)
Serious eye damage/irritation	: Not classified (Based on available data, the classification criteria are not met)
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
<b>Decamethylcyclopentasiloxane (D5) (541-02-6)</b>	
NOAEL (oral, rat, 90 days)	≥ 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
NOAEL (dermal, rat/rabbit, 90 days)	≥ 1600 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study)
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)

Lucas High Performance Synthetic SAE 10W-40 Motorcycle Oil With Moly  
 Lucas High Performance Synthetic Fork Oil Extra Heavy (20 wt)  
 Lucas Synthetic SAE 50 Transmission Oil  
 Lucas Automatic Transmission Fluid Conditioner  
 L.O.P. Super Lube Fully Synthetic 5w-30 C2 Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-30 C3 Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-30 FORD-D Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-30 GM Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-30 VAG Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-40 PD Motor Oil  
 Lucas Synthetic Multi-Vehicle CVT Fluid  
 Lucas Universal Hydraulic & Transmission Fluid  
 Lucas Slick Mist Speed Wax

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Lucas High Performance Synthetic SAE 10W-40 Motorcycle Oil With Moly  
 Lucas High Performance Synthetic Fork Oil Extra Heavy (20 wt)  
 Lucas Synthetic SAE 50 Transmission Oil  
 Lucas Automatic Transmission Fluid Conditioner  
 L.O.P. Super Lube Fully Synthetic 5w-30 C2 Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-30 C3 Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-30 FORD-D Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-30 GM Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-30 VAG Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-40 PD Motor Oil  
 Lucas Synthetic Multi-Vehicle CVT Fluid  
 Lucas Universal Hydraulic & Transmission Fluid  
 Lucas Slick Mist Speed Wax

Viscosity, kinematic	> 20 mm <sup>2</sup> /s @ 40 C
----------------------	--------------------------------

### 11.2. Information on other hazards

No data available

## SECTION 12: Ecological information

### 12.1. Toxicity

Unknown hazards to the aquatic environment (CLP) : Contains 4.63 % of components with unknown hazards to the aquatic environment  
 Hazardous to the aquatic environment, short-term : Not classified (Based on available data, the classification criteria are not met) (acute)  
 Hazardous to the aquatic environment, long-term : Not classified. (Based on available data, the classification criteria are not met) (chronic)

#### 1-Decene, homopolymer, hydrogenated (68037-01-4)

LC50 fish 1	> 750 mg/l
EC50 crustacea	190 mg/l
NOEC (acute)	1000 mg/l

#### Dibutyl phosphite (1809-19-4)

LC50 fish 1	63.4 mg/l 96 h
EC50 crustacea	20.8 mg/l 48 h
EC50 72h - Algae [1]	14.4 mg/l 72 h

#### Distillates (petroleum), hydrotreated heavy paraffinic (DMSO < 3%) (64742-54-7)

EC50 crustacea	> 10000 mg/l
----------------	--------------

#### Distillates (petroleum), hydrotreated light paraffinic (DMSO <3%) (64742-55-8)

LC50 fish 1	> 100 mg/l
-------------	------------

Lucas High Performance Synthetic SAE 10W-40 Motorcycle Oil With Moly  
 Lucas High Performance Synthetic Fork Oil Extra Heavy (20 wt)  
 Lucas Synthetic SAE 50 Transmission Oil  
 Lucas Automatic Transmission Fluid Conditioner  
 L.O.P. Super Lube Fully Synthetic 5w-30 C2 Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-30 C3 Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-30 FORD-D Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-30 GM Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-30 VAG Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-40 PD Motor Oil  
 Lucas Synthetic Multi-Vehicle CVT Fluid  
 Lucas Universal Hydraulic & Transmission Fluid  
 Lucas Slick Mist Speed Wax

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

<b>Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts (68649-42-3)</b>	
LC50 fish 1	10 (10 – 35) mg/l Pimephales promelas OECD GDL 203 (water accomodated fraction)
EC50 crustacea	1 (1 – 1.5) mg/l OECD GDL 202 (water accomodated fraction)
NOEC (acute)	10 mg/l Pimephales promelas OECD GDL 203 (water accomodated fraction)
NOEC chronic crustacea	< 1 mg/l
<b>1-(tert-Dodecylthio)propan-2-ol (67124-09-8)</b>	
EC50 crustacea	0.75 mg/l 48 h
EC50 - Crustacea [2]	1.3 mg/l 24 h
NOEC (acute)	0.56 mg/l 48 h Daphnia
<b>1,2-Propanediol, 3-amino, N,N-dicoco alkyl derivs.</b>	
LC50 fish 1	> 100 mg/l 96 h
EC50 crustacea	230 mg/l 48 h
<b>Benzenamine, N-phenyl-, reaction products with isobutylene and ,4,4-trimethylpentene (184378-08-3)</b>	
LC50 fish 1	> 100 mg/l 96 h
EC50 crustacea	51 mg/l 48 h
EC50 other aquatic organisms 1	> 100 mg/l 72 h Algae
<b>C14-16-18 Alkyl phenol</b>	
LC50 fish 1	> 100 mg/l 96 h
EC50 crustacea	> 100 mg/l 48 h
<b>Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (DMSO &lt; 3%) (72623-87-1)</b>	
LC50 fish 1	> 100 mg/l
EC50 crustacea	> 10000 mg/l
ErC50 algae	≥ 100 mg/l
NOEC (acute)	> 100 mg/kg
<b>Lubricating oils, petroleum, hydrotreated spent (64742-58-1)</b>	
LC50 fish 1	3.2 – 79.6 mg/l
<b>N,N-bis(2-ethylhexyl)-ar-methyl-1H-benzotriazole-1-methanamine (94270-86-7)</b>	
LC50 fish 1	1.3 mg/l 96 h
EC50 crustacea	2.05 mg/l 48 h
EC50 other aquatic organisms 1	0.976 mg/l 72 h

Lucas High Performance Synthetic SAE 10W-40 Motorcycle Oil With Moly  
 Lucas High Performance Synthetic Fork Oil Extra Heavy (20 wt)  
 Lucas Synthetic SAE 50 Transmission Oil  
 Lucas Automatic Transmission Fluid Conditioner  
 L.O.P. Super Lube Fully Synthetic 5w-30 C2 Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-30 C3 Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-30 FORD-D Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-30 GM Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-30 VAG Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-40 PD Motor Oil  
 Lucas Synthetic Multi-Vehicle CVT Fluid  
 Lucas Universal Hydraulic & Transmission Fluid  
 Lucas Slick Mist Speed Wax

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

<b>Oxymolybdenum di-2-ethylhexyl phos-phorodithioate, sulfurized (72030-25-2)</b>	
LC50 fish 1	100 mg/l 96 h
EC50 crustacea	100 mg/l 48 h
EC50 72h - Algae [1]	100 mg/l 72 h
<b>Decamethylcyclopentasiloxane (D5) (541-02-6)</b>	
LC50 fish 1	> 16 µg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 crustacea	> 2.9 µg/l Test organisms (species): Daphnia magna
<b>12.2. Persistence and degradability</b>	
<b>1-Decene, homopolymer, hydrogenated (68037-01-4)</b>	
Persistence and degradability	Readily biodegradable.
<b>Distillates (petroleum), hydrotreated light paraffinic (DMSO &lt;3%) (64742-55-8)</b>	
Persistence and degradability	Not readily biodegradable.
<b>Distillates (petroleum), solvent-dewaxed heavy paraffinic (DMSO &lt; 3%) (64742-65-0)</b>	
Persistence and degradability	Not established.
<b>1-(tert-Dodecylthio)propan-2-ol (67124-09-8)</b>	
Biodegradation	5.9 % 28 d
<b>1,2-Propanediol, 3-amino, N,N-dicoco alkyl derivs.</b>	
Biodegradation	11 % 28 d
<b>Benzenamine, N-phenyl-, reaction products with isobutylene and ,4,4-trimethylpentene (184378-08-3)</b>	
Persistence and degradability	Not readily biodegradable.
<b>Benzenesulfonic acid, propenated, calcium salt, overbased (68610-84-4)</b>	
Persistence and degradability	Not readily biodegradable.
<b>C14-16-18 Alkyl phenol</b>	
Persistence and degradability	Not readily biodegradable.
<b>Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (DMSO &lt; 3%) (72623-87-1)</b>	
Persistence and degradability	Not readily biodegradable.
Biodegradation	2 – 4 %
<b>Oxymolybdenum di-2-ethylhexyl phos-phorodithioate, sulfurized (72030-25-2)</b>	
Persistence and degradability	Not readily biodegradable.
Biodegradation	11 % 28 d

Lucas High Performance Synthetic SAE 10W-40 Motorcycle Oil With Moly  
 Lucas High Performance Synthetic Fork Oil Extra Heavy (20 wt)  
 Lucas Synthetic SAE 50 Transmission Oil  
 Lucas Automatic Transmission Fluid Conditioner  
 L.O.P. Super Lube Fully Synthetic 5w-30 C2 Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-30 C3 Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-30 FORD-D Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-30 GM Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-30 VAG Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-40 PD Motor Oil  
 Lucas Synthetic Multi-Vehicle CVT Fluid  
 Lucas Universal Hydraulic & Transmission Fluid  
 Lucas Slick Mist Speed Wax

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 12.3. Bioaccumulative potential

<b>1-Decene, homopolymer, hydrogenated (68037-01-4)</b>	
Bioaccumulative potential	Not expected to bioaccumulate.
<b>Distillates (petroleum), solvent-dewaxed heavy paraffinic (DMSO &lt; 3%) (64742-65-0)</b>	
Bioaccumulative potential	Not established.
<b>1-(tert-Dodecylthio)propan-2-ol (67124-09-8)</b>	
Log Pow	4.72 – 6.51
<b>Benzenamine, N-phenyl-, reaction products with isobutylene and ,4,4-trimethylpentene (184378-08-3)</b>	
Log Pow	3.5
Bioaccumulative potential	Not expected to bioaccumulate.
<b>Benzenesulfonic acid, propenated, calcium salt, overbased (68610-84-4)</b>	
BCF fish 1	0.001 mg/l
BCF fish 2	0.01 mg/l
Log Kow	5.7 – 5.8
<b>C14-16-18 Alkyl phenol</b>	
Log Pow	> 7.2
<b>Decamethylcyclopentasiloxane (D5) (541-02-6)</b>	
Log Pow	5.2 Source: Corporate Solution From Thomson Micromedex

### 12.4. Mobility in soil

<b>Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (DMSO &lt; 3%) (72623-87-1)</b>	
Mobility in soil	22 %
<b>Decamethylcyclopentasiloxane (D5) (541-02-6)</b>	
Mobility in soil	16000 Source: HSDB

### 12.5. Results of PBT and vPvB assessment

<b>Component</b>	
Distillates (petroleum), hydrotreated heavy paraffinic (DMSO < 3%) (64742-54-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (DMSO < 3%) (72623-87-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Decamethylcyclopentasiloxane (D5) (541-02-6)	This substance meets the PBT criteria of REACH regulation, annex XIII This substance meets the vPvB criteria of REACH regulation, annex XIII

### 12.6. Endocrine disrupting properties

No data available

Lucas High Performance Synthetic SAE 10W-40 Motorcycle Oil With Moly  
Lucas High Performance Synthetic Fork Oil Extra Heavy (20 wt)  
Lucas Synthetic SAE 50 Transmission Oil  
Lucas Automatic Transmission Fluid Conditioner  
L.O.P. Super Lube Fully Synthetic 5w-30 C2 Motor Oil  
L.O.P. Super Lube Fully Synthetic 5w-30 C3 Motor Oil  
L.O.P. Super Lube Fully Synthetic 5w-30 FORD-D Motor Oil  
L.O.P. Super Lube Fully Synthetic 5w-30 GM Motor Oil  
L.O.P. Super Lube Fully Synthetic 5w-30 VAG Motor Oil  
L.O.P. Super Lube Fully Synthetic 5w-40 PD Motor Oil  
Lucas Synthetic Multi-Vehicle CVT Fluid  
Lucas Universal Hydraulic & Transmission Fluid  
Lucas Slick Mist Speed Wax

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 12.7. Other adverse effects

Other adverse effects : Avoid release to the environment

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Sewage disposal recommendations : Do not dispose of waste into sewer.  
Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.  
Ecology - waste materials : Avoid release to the environment.  
European List of Waste (LoW) code : For disposal within the EC, the appropriate code according to the European Waste Catalogue (EWC) should be used.

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

### 14.1. UN number or ID number

UN-No. (ADR) : Not regulated  
UN-No. (IMDG) : Not regulated  
UN-No. (IATA) : Not regulated  
UN-No. (ADN) : Not regulated  
UN-No. (RID) : Not regulated

### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not regulated  
Proper Shipping Name (IMDG) : Not regulated  
Proper Shipping Name (IATA) : Not regulated  
Proper Shipping Name (ADN) : Not regulated  
Proper Shipping Name (RID) : Not regulated

### 14.3. Transport hazard class(es)

#### ADR

Transport hazard class(es) (ADR) : Not regulated

#### IMDG

Transport hazard class(es) (IMDG) : Not regulated

#### IATA

Transport hazard class(es) (IATA) : Not regulated

#### ADN

Transport hazard class(es) (ADN) : Not regulated

#### RID

Transport hazard class(es) (RID) : Not regulated

### 14.4. Packing group

Packing group (ADR) : Not regulated  
Packing group (IMDG) : Not regulated  
Packing group (IATA) : Not regulated  
Packing group (ADN) : Not regulated  
Packing group (RID) : Not regulated



Lucas High Performance Synthetic SAE 10W-40 Motorcycle Oil With Moly  
Lucas High Performance Synthetic Fork Oil Extra Heavy (20 wt)  
Lucas Synthetic SAE 50 Transmission Oil  
Lucas Automatic Transmission Fluid Conditioner  
L.O.P. Super Lube Fully Synthetic 5w-30 C2 Motor Oil  
L.O.P. Super Lube Fully Synthetic 5w-30 C3 Motor Oil  
L.O.P. Super Lube Fully Synthetic 5w-30 FORD-D Motor Oil  
L.O.P. Super Lube Fully Synthetic 5w-30 GM Motor Oil  
L.O.P. Super Lube Fully Synthetic 5w-30 VAG Motor Oil  
L.O.P. Super Lube Fully Synthetic 5w-40 PD Motor Oil  
Lucas Synthetic Multi-Vehicle CVT Fluid  
Lucas Universal Hydraulic & Transmission Fluid  
Lucas Slick Mist Speed Wax

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 14.5. Environmental hazards

Dangerous for the environment : No  
Marine pollutant : No  
Other information : No supplementary information available

### 14.6. Special precautions for user

#### Overland transport

Not regulated

#### Transport by sea

Not regulated

#### Air transport

Not regulated

#### Inland waterway transport

Not regulated

#### Rail transport

Not regulated

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Lucas High Performance Synthetic SAE 10W-40 Motorcycle Oil With Moly  
 Lucas High Performance Synthetic Fork Oil Extra Heavy (20 wt)  
 Lucas Synthetic SAE 50 Transmission Oil  
 Lucas Automatic Transmission Fluid Conditioner  
 L.O.P. Super Lube Fully Synthetic 5w-30 C2 Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-30 C3 Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-30 FORD-D Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-30 GM Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-30 VAG Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-40 PD Motor Oil  
 Lucas Synthetic Multi-Vehicle CVT Fluid  
 Lucas Universal Hydraulic & Transmission Fluid  
 Lucas Slick Mist Speed Wax

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(c)	Lucas High Performance Synthetic SAE 10W-40 Motorcycle Oil With Moly Lucas High Performance Synthetic Fork Oil Extra Heavy (20 wt) Lucas Synthetic SAE 50 Transmission Oil Lucas Automatic Transmission Fluid Conditioner L.O.P. Super Lube Fully Synthetic 5w-30 C2 Motor Oil L.O.P. Super Lube Fully Synthetic 5w-30 C3 Motor Oil L.O.P. Super Lube Fully Synthetic 5w-30 FORD-D Motor Oil L.O.P. Super Lube Fully Synthetic 5w-30 GM Motor Oil L.O.P. Super Lube Fully Synthetic 5w-30 VAG Motor Oil L.O.P. Super Lube Fully Synthetic 5w-40 PD Motor Oil Lucas Synthetic Multi-Vehicle CVT Fluid Lucas Universal Hydraulic & Transmission Fluid Lucas Slick Mist Speed Wax ; bis(nonylphenyl)amine ; Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts ; benzenepropanoic acid, 3,5-bis(1,1-dimethylethyl)-4-hydroxy-, C7-9-branched alkyl esters ; Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts ; Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu) esters, zinc salts ; 1-(tert-Dodecylthio)propan-2-ol ; 1,2-Propanediol, 3-amino, N,N-dicoco alkyl derivs. ; C14-16-18 Alkyl phenol ; Benzenamine, N-phenyl-, reaction products with isobutylene and ,4,4-trimethylpentene ; Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene ; Benzenesulfonic acid, propenated, calcium salt, overbased ; N,N-bis(2-ethylhexyl)-ar-methyl-1H-benzotriazole-1-methanamine ; Zinc bis[O(6-methylheptyl)] bis[O-(sec-butyl)]bis(dithiophosphate)- ; Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich ; Oxymolybdenum di-2-ethylhexyl phosphorodithioate, sulfurized	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1

Lucas High Performance Synthetic SAE 10W-40 Motorcycle Oil With Moly  
 Lucas High Performance Synthetic Fork Oil Extra Heavy (20 wt)  
 Lucas Synthetic SAE 50 Transmission Oil  
 Lucas Automatic Transmission Fluid Conditioner  
 L.O.P. Super Lube Fully Synthetic 5w-30 C2 Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-30 C3 Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-30 FORD-D Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-30 GM Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-30 VAG Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-40 PD Motor Oil  
 Lucas Synthetic Multi-Vehicle CVT Fluid  
 Lucas Universal Hydraulic & Transmission Fluid  
 Lucas Slick Mist Speed Wax

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(b)	1-Decene, homopolymer, hydrogenated ; Amines, polyethylenepoly-, reaction products with succinic anhydride polyisobutenyl derivs., borated ; Dibutyl phosphite ; Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts ; Distillates (petroleum), solvent-dewaxed heavy paraffinic (DMSO < 3%) ; Distillates (petroleum), hydrotreated heavy paraffinic (DMSO < 3%) ; Distillates (petroleum), hydrotreated light paraffinic (DMSO < 3%) ; Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts ; Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu) esters, zinc salts ; Acetamide, 2-hydroxy-, N,N-dicoco alkyl derivs. ; 1-(tert-Dodecylthio)propan-2-ol ; 1,2-Propanediol, 3-amino, N,N-dicoco alkyl derivs. ; C14-16-18 Alkyl phenol ; Distillates (petroleum), solvent-refined light paraffinic (DMSO < 3%) ; Phosphoric acid, mono- and di-C6-10-alkyl esters ; Benzenesulfonic acid, propenated, calcium salt, overbased ; Naphtha (petroleum), hydrotreated heavy (benzene < 0.1%) ; Lubricating oils, petroleum, hydrotreated spent ; Residual oils (petroleum), solvent refined (DMSO < 3%) ; N,N-bis(2-ethylhexyl)-ar-methyl-1H-benzotriazole-1-methanamine ; Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (DMSO < 3%) ; Zinc bis[O(6-methylheptyl)] bis[O-(sec-butyl)]bis(dithiophosphate)- ; Amines, C12-14-alkyl, C6-10-alkyl phosphates ; Oxymolybdenum di-2-ethylhexyl phos-phorodithioate, sulfurized	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(a)	Naphtha (petroleum), hydrotreated heavy (benzene < 0.1%)	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
40.	Naphtha (petroleum), hydrotreated heavy (benzene < 0.1%)	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

Contains substance on the REACH candidate list in concentration  $\geq 0.1\%$  or with a lower specific limit: Decamethylcyclopentasiloxane (EC 208-764-9, CAS 541-02-6)

Contains no REACH Annex XIV substances

Lucas High Performance Synthetic SAE 10W-40 Motorcycle Oil With Moly  
 Lucas High Performance Synthetic Fork Oil Extra Heavy (20 wt)  
 Lucas Synthetic SAE 50 Transmission Oil  
 Lucas Automatic Transmission Fluid Conditioner  
 L.O.P. Super Lube Fully Synthetic 5w-30 C2 Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-30 C3 Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-30 FORD-D Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-30 GM Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-30 VAG Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-40 PD Motor Oil  
 Lucas Synthetic Multi-Vehicle CVT Fluid  
 Lucas Universal Hydraulic & Transmission Fluid  
 Lucas Slick Mist Speed Wax

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Substances subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals: Diphenylamine (122-39-4)

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

### 15.1.2. National regulations

No data available

### 15.2. Chemical safety assessment

No data available

## SECTION 16: Other information

### Full text of H- and EUH-statements

L.O.P. Super Lube Fully Synthetic 5w-30 C2 Motor Oil, L.O.P. Super Lube Fully Synthetic 5w-30 C3 Motor Oil, L.O.P. Super Lube Fully Synthetic 5w-30 FORD-D Motor Oil, L.O.P. Super Lube Fully Synthetic 5w-30 GM Motor Oil, L.O.P. Super Lube Fully Synthetic 5w-30 VAG Motor Oil, L.O.P. Super Lube Fully Synthetic 5w-40 PD Motor Oil: EUH208 – Contains C14-16-18 Alkyl phenol. May produce an allergic reaction.

Lucas Automatic Transmission Fluid Conditioner: EUH208 - Contains Acetamide, 2-hydroxy-, N,N-dicoco alkyl derivs, 1-(tert-Dodecylthio)propan-2-ol(67124-09-8), 1,2-Propanediol, 3-amino, N,N-dicoco alkyl derivs. May produce an allergic reaction.

Lucas Synthetic SAE 50 Transmission Oil: EUH208 - Contains N,N-bis(2-ethylhexyl)-ar-methyl-1H-benzotriazole-1-methanamine(94270-86-7), Benzenesulfonic acid, propanated, calcium salt, overbased(68610-84-4). May produce an allergic reaction.

Lucas High Performance Synthetic SAE 10W-40 Motorcycle Oil With Moly: EUH208 – Contains Oxymolybdenum di-2-ethylhexyl phosphorodithioate, sulfurized(72030-25-2). May produce an allergic reaction.

Lucas High Performance Synthetic Fork Oil Extra Heavy (20 wt): EUH208 –Contains Oxymolybdenum di-2-ethylhexyl phosphorodithioate, sulfurized(72030-25-2). May produce an allergic reaction.

Lucas Synthetic Multi-Vehicle CVT Fluid EUH208 – Contains Acetamide, 2-hydroxy-, N,N-dicoco alkyl derivs, c14-18 alpha-olefin epoxide, reaction products with boric acid, 1,2-Propanediol, 3-amino, N,N-dicoco alkyl derivs. May produce an allergic reaction.

Lucas Universal Hydraulic & Transmission Fluid: EUH208 - Contains Benzenesulfonic acid, propanated, calcium salt, overbased(68610-84-4). May produce an allergic reaction.

Lucas Slick Mist Speed Wax - EUH208 - Contains 1,2-benzisothiazolone(2634-33-5). May produce an allergic reaction. .

Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Aquatic Chronic 4	Hazardous to the aquatic environment – Chronic Hazard, Category 4

Lucas High Performance Synthetic SAE 10W-40 Motorcycle Oil With Moly  
 Lucas High Performance Synthetic Fork Oil Extra Heavy (20 wt)  
 Lucas Synthetic SAE 50 Transmission Oil  
 Lucas Automatic Transmission Fluid Conditioner  
 L.O.P. Super Lube Fully Synthetic 5w-30 C2 Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-30 C3 Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-30 FORD-D Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-30 GM Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-30 VAG Motor Oil  
 L.O.P. Super Lube Fully Synthetic 5w-40 PD Motor Oil  
 Lucas Synthetic Multi-Vehicle CVT Fluid  
 Lucas Universal Hydraulic & Transmission Fluid  
 Lucas Slick Mist Speed Wax

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-statements	
Aquatic Chronic Not classified	Hazardous to the aquatic environment – Chronic Hazard Not classified
Asp. Tox. 1	Aspiration hazard, Category 1
Carc. Not classified	Carcinogenicity Not classified
EUH210	Safety data sheet available on request.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B
STOT RE Not classified	Specific target organ toxicity (repeated exposure) Not classified

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]		
Aquatic Chronic Not classified		Expert judgment

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.