

Lucas Semi-Synthetic SAE 20W-50 Racing Engine Oil

Lucas SAE 20W-50 Racing Engine Oil

Lucas Hot Rod & Classic Car Oil SAE 10W-30

Lucas Hot Rod & Classic Car Motor Oil SAE 10W-40

Lucas Hot Rod & Classic Car Oil SAE 20W-50

Lucas Chain Lubricant

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Issue date: 17/05/2022 Version: 1.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

Trade name : Lucas Sprocket and Chain Lube

Lucas Semi-Synthetic SAE 20W-50 Racing Engine Oil

Lucas SAE 20W-50 Racing Engine Oil

Lucas Hot Rod & Classic Car Oil SAE 10W-30 Lucas Hot Rod & Classic Car Motor Oil SAE 10W-40 Lucas Hot Rod & Classic Car Oil SAE 20W-50

Lucas Chain Lubricant

Product code

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Intended for general public

Main use category : Industrial use, Professional use, Consumer use

Use of the substance/mixture : Lubricant

1.2.2. Uses advised against

Restrictions on use : No data available

### 1.3. Details of the supplier of the safety data sheet

Supplier Supplier

Lucas Oil Products UK Ltd Lucas Oil Products Europe Ltd Unit 4 Cunliffe Drive **Block 3 Harcourt Centre** 

Llangefni Industrial Estate Harcourt Road LL77 7JA Llangefni Dublin 2 Anglesey - UK Ireland

T 01248 723 666 T+44 344 225 5400

Info@LucasOil.co.uk - www.lucasoil.co.uk info@lucasoil.eu.com www.lucasoil.eu.com

### 1.4. Emergency telephone number

**Emergency number** : ChemTel

1-800-255-3924 (USA, Canada, Puerto Rico, US V.I.)

+1-813-248-0585 (International)

Country	Organisation/Company	Address	Emergency number	Comment
Malta	Medicines & Poisons Info Office	Mater Dei Hospital MSD 2090 Msida	+356 2545 6508	

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

## Classification according to Regulation (EC) No. 1272/2008

Skin sensitisation, Category 1 H317

Full text of H- and EUH-statements: see section 16

## Adverse physicochemical, human health and environmental effects

May cause an allergic skin reaction.

17/05/2022 (Issue date) EN (English) 1/14

Lucas Semi-Synthetic SAE 20W-50 Racing Engine Oil

Lucas SAE 20W-50 Racing Engine Oil

Lucas Hot Rod & Classic Car Oil SAE 10W-30

Lucas Hot Rod & Classic Car Motor Oil SAE 10W-40

Lucas Hot Rod & Classic Car Oil SAE 20W-50

Lucas Chain Lubricant

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP: Classification, Labelling,

Packaging.)

**!**>

GHS07

Signal word (CLP) : Warning

Contains : c14-18 alpha-olefin epoxide, reaction products with boric acid, Oxymolybdenum di-2-

ethylhexyl phos-phorodithioate, sulfurized, Maleic anhydride

Hazard statements (CLP) : H317 - May cause an allergic skin reaction.

Precautionary statements (CLP) : P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P103 - Read carefully and follow all instructions. P261 - Avoid breathing mist, spray, vapours.

P272 - Contaminated work clothing should not be allowed out of the workplace.
P280 - Wear protective clothing, eye protection, face protection, protective gloves.

Unknown hazards to the aquatic environment (CLP) : Contains 0.1 % of components with unknown hazards to the aquatic environment

Child-resistant fastening : Not applicable Tactile warning : Not applicable

#### 2.3. Other hazards

vPvB: not yet assessed

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Component		
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu) esters, zinc salts (68442-22-8)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

## 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Distillates (petroleum), hydrotreated heavy paraffinic (DMSO $<$ 3%) (KV $>$ 20.5 cSt) substance with a Community workplace exposure limit (Note L)	CAS-No.: 64742-54-7 EC-No.: 265-157-1 EC Index-No.: 649-467-00-8 REACH-no: 01-2119484627- 0018	5 - 90	Carc. Not classified
Distillates (petroleum), hydrotreated light paraffinic (DMSO <3%) (Note L)	CAS-No.: 64742-55-8 EC-No.: 265-158-7 EC Index-No.: 649-468-00-3	5	Carc. Not classified Asp. Tox. 1, H304
Oxymolybdenum di-2-ethylhexyl phos-phorodithioate, sulfurized	CAS-No.: 72030-25-2 EC-No.: 615-708-0	1.5 – 3.75	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 3, H412

Lucas Sprocket and Chain Lube
Lucas Semi-Synthetic SAE 20W-50 Racing Engine Oil
Lucas SAE 20W-50 Racing Engine Oil
Lucas Hot Rod & Classic Car Oil SAE 10W-30
Lucas Hot Rod & Classic Car Motor Oil SAE 10W-40
Lucas Hot Rod & Classic Car Oil SAE 20W-50
Lucas Chain Lubricant

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
c14-18 alpha-olefin epoxide, reaction products with boric acid	EC-No.: 939-580-3	2	Skin Sens. 1B, H317
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu) esters, zinc salts	CAS-No.: 68442-22-8 EC-No.: 270-478-5	1 - 2	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411
Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts	CAS-No.: 68649-42-3 EC-No.: 272-028-3	1 - 2	Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
Mineral oil (DMSO <3%) substance with a Community workplace exposure limit	CAS-No.: mixture	< 0.1	Not classified
Maleic anhydride	CAS-No.: 108-31-6 EC-No.: 203-571-6 EC Index-No.: 607-096-00-9	<0.02	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 Resp. Sens. 1, H334 Skin Sens. 1A, H317 STOT RE 1, H372

pecific concentration limits		
Name	ame Product identifier	
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu) esters, zinc salts	CAS-No.: 68442-22-8 EC-No.: 270-478-5	( 10 ≤C < 12.5) Eye Irrit. 2, H319 ( 12.5 ≤C ≤ 100) Eye Dam. 1, H318
Maleic anhydride	CAS-No.: 108-31-6 EC-No.: 203-571-6 EC Index-No.: 607-096-00-9	( 0.001 ≤C < 100) Skin Sens. 1A, H317

Note L: The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions — Dimethyl sulphoxide extraction refractive index method', Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3. Full text of H- and EUH-statements: see section 16

## **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : If inhaled and if breathing is difficult, remove victim to fresh air and keep at rest in a position

comfortable for breathing. Allow the victim to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water,

followed by warm water rinse.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persists

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : May cause an allergic skin reaction.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Lucas Semi-Synthetic SAE 20W-50 Racing Engine Oil

Lucas SAE 20W-50 Racing Engine Oil

Lucas Hot Rod & Classic Car Oil SAE 10W-30

Lucas Hot Rod & Classic Car Motor Oil SAE 10W-40

Lucas Hot Rod & Classic Car Oil SAE 20W-50

Lucas Chain Lubricant

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Burning produces irritating, toxic and noxious fumes.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Wear a self contained breathing apparatus. Wear fire/flame resistant/retardant clothing.

EN469.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid all eye and skin contact and do not breathe vapour and mist.

6.1.1. For non-emergency personnel

Protective equipment : Refer to section 8.2.

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Refer to section 8.2. Emergency procedures : Ventilate area.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters.

## 6.3. Methods and material for containment and cleaning up

For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or

streams.

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. On

land, sweep or shovel into suitable containers. Collect spillage. Minimise generation of dust.

Store away from other materials.

#### 6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid all eye and skin contact and do not breathe vapour and mist.

Hygiene measures : Do not eat, drink or smoke when using this product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container closed when not in use. Keep only in the original container in a cool well

ventilated place.

Incompatible products : Strong bases. Strong acids. Strong oxidizers.

## 7.3. Specific end use(s)

Lubricant.

### **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

## 8.1.1. National occupational exposure and biological limit values

17/05/2022 (Issue date) EN (English) 4/14

Lucas Semi-Synthetic SAE 20W-50 Racing Engine Oil

Lucas SAE 20W-50 Racing Engine Oil

Lucas Hot Rod & Classic Car Oil SAE 10W-30

Lucas Hot Rod & Classic Car Motor Oil SAE 10W-40

Lucas Hot Rod & Classic Car Oil SAE 20W-50

Lucas Chain Lubricant

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Distillates (petroleum), hydrotreated heavy paraffinic (DMSO < 3%) (KV > 20.5 cSt) (64742-54-7)	
EU - Indicative Occupational Exposure Limit (IOEL)	
IOEL TWA	5 mg/m³ 8-h (inhalable)
Mineral oil (DMSO <3%) (mixture)  EU - Indicative Occupational Exposure Limit (IOEL)	

#### 8.1.2. Recommended monitoring procedures

No data available

#### 8.1.3. Air contaminants formed

No data available

#### 8.1.4. DNEL and PNEC

No data available

#### 8.1.5. Control banding

No data available

#### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

## Appropriate engineering controls:

Avoid creating mist or spray. Avoid splashing. Either local exhaust or general room ventilation is usually required.

#### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Avoid all unnecessary exposure.

## 8.2.2.1. Eye and face protection

## Eye protection:

In case of splashing or aerosol production: protective goggles. EN 166

#### 8.2.2.2. Skin protection

## Hand protection:

In case of repeated or prolonged contact wear gloves. nitrile rubber gloves. EN 374

#### 8.2.2.3. Respiratory protection

#### Respiratory protection:

In case of inadequate ventilation wear respiratory protection. Use an approved respirator equipped with oil/mist cartridges. EN 136/140. Oil-resistant or oil-proof disposible respirator (R95, R100) (P95, P100)

#### 8.2.2.4. Thermal hazards

No data available

## 8.2.3. Environmental exposure controls

### Other information:

Do not eat, drink or smoke during use.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : amber. Red.
Appearance : Clear.

Lucas Semi-Synthetic SAE 20W-50 Racing Engine Oil

Lucas SAE 20W-50 Racing Engine Oil

Lucas Hot Rod & Classic Car Oil SAE 10W-30

Lucas Hot Rod & Classic Car Motor Oil SAE 10W-40

Lucas Hot Rod & Classic Car Oil SAE 20W-50

Lucas Chain Lubricant

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Odour : petroleum.
Odour threshold : Not determined
Melting point : Not applicable
Freezing point : Not determined
Boiling point : Not determined
Flammability : Non flammable.

Explosive properties : Product is not explosive.

Oxidising properties : No oxidizing properties.

Explosive limits : Not available
Lower explosion limit : Not applicable
Upper explosive limit (UEL) : Not applicable
Flash point : Not determined
Auto-ignition temperature : Not determined
Decomposition temperature : Not determined
pH : Not determined

Viscosity, kinematic : 73.4 - 191.3 mm²/s @ 40 °C

Viscosity, dynamic : Not determined Solubility : Insoluble in water. Log Kow : Not available Log Pow : Not determined Vapour pressure : Not determined Vapour pressure at 50 °C : Not available Density : Not determined : 0.866 - 0.876 Relative density Relative vapour density at 20 °C : Not available : Not applicable Particle size : Not applicable Particle size distribution Particle shape : Not applicable Particle aspect ratio : Not applicable Particle aggregation state : Not applicable Particle agglomeration state : Not applicable Particle specific surface area : Not applicable

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No data available

Particle dustiness

### 9.2.2. Other safety characteristics

Relative evaporation rate (butylacetate=1) : Not determined VOC content : Not determined

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

No dangerous reactions known.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

## 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

## 10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidizers.

#### 10.6. Hazardous decomposition products

: Not applicable

Lucas Semi-Synthetic SAE 20W-50 Racing Engine Oil

Lucas SAE 20W-50 Racing Engine Oil

Lucas Hot Rod & Classic Car Oil SAE 10W-30

Lucas Hot Rod & Classic Car Motor Oil SAE 10W-40

Lucas Hot Rod & Classic Car Oil SAE 20W-50

Lucas Chain Lubricant

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

None under normal use.

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Distillates (petroleum), hydrotreated heavy paraffinic (DMSO < 3%) (KV > 20.5 cSt) (64742-54-7)	
LD50 Oral rat	> 5000 mg/kg
LD50 Dermal rabbit	> 2000 mg/kg
LC50 Inhalation rat	> 5.53 mg/l/4h

Distillates (petroleum), hydrotreated light paraffinic (DMSO <3%) (64742-55-8)	
LD50 Oral rat	> 5000 mg/kg bodyweight
LD50 Dermal rabbit	> 2000 mg/kg bodyweight
LC50 Inhalation rat	> 10.5 mg/l/4h

Mineral oil (DMSO <3%) (mixture)	
LD50 Oral rat	> 5000 mg/kg
LD50 Dermal rabbit	> 5000 mg/kg
LC50 Inhalation rat	> 5000 mg/m³ 4 h

Oxymolybdenum di-2-ethylhexyl phos-phorodithioate, sulfurized (72030-25-2)	
LD50 Oral rat	6.81 ml/kg
LD50 Dermal rabbit	10 ml/kg

Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu) esters, zinc salts (68442-22-8)		l and iso-Bu) esters, zinc salts (68442-22-8)
	LD50 Oral rat	3600 mg/kg
	LD50 Dermal rabbit	> 20000 mg/kg

Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts (68649-42-3)	
LD50 Oral rat	26100 mg/kg

Maleic anhydride (108-31-6)	
LD50 Oral rat	1090 mg/kg
LD50 Dermal rabbit	2620 mg/kg female

Skin corrosion/irritation	:	Not classified	
Additional information	:	Based on available data, the classification criteria are not met	

Serious eye damage/irritation : Not classified

Additional information : Based on available data, the classification criteria are not met

Respiratory or skin sensitisation : May cause an allergic skin reaction.

Additional information : Based on available data, the classification criteria are not met

Germ cell mutagenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Carcinogenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Reproductive toxicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Lucas Semi-Synthetic SAE 20W-50 Racing Engine Oil

Lucas SAE 20W-50 Racing Engine Oil

Lucas Hot Rod & Classic Car Oil SAE 10W-30

Lucas Hot Rod & Classic Car Motor Oil SAE 10W-40

Lucas Hot Rod & Classic Car Oil SAE 20W-50

Lucas Chain Lubricant

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

STOT-single exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

STOT-repeated exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

Maleic anhydride (108-31-6)

STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard : Not classified

Additional information : Based on available data, the classification criteria are not met

Lucas Sprocket and Chain Lube

Lucas Semi-Synthetic SAE 20W-50 Racing Engine Oil

Lucas SAE 20W-50 Racing Engine Oil

Lucas Hot Rod & Classic Car Oil SAE 10W-30

Lucas Hot Rod & Classic Car Motor Oil SAE 10W-40

Lucas Hot Rod & Classic Car Oil SAE 20W-50

Lucas Chain Lubricant

Viscosity, kinematic 73.4 – 191.3 mm²/s @ 40 °C

#### 11.2. Information on other hazards

No data available

### **SECTION 12: Ecological information**

### 12.1. Toxicity

Unknown hazards to the aquatic environment (CLP) : Contains 0.1 % of components with unknown hazards to the aquatic environment

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term : Not classified

(chronic)

(chronic)		
Distillates (petroleum), hydrotreated heavy paraffinic (DMSO < 3%) (KV > 20.5 cSt) (64742-54-7)		
EC50 crustacea	> 10000 mg/l	
Distillates (petroleum), hydrotreated light paraffinic (DMSO <3%) (64742-55-8)		
LC50 fish 1	> 100 mg/l	
Oxymolybdenum di-2-ethylhexyl phos-phorodithioate, sulfurized (72030-25-2)		
LC50 fish 1	100 mg/l 96 h	
EC50 crustacea	100 mg/l 48 h	
EC50 72h - Algae [1]	100 mg/l 72 h	
Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts (68649-42-3)		
LC50 fish 1	10 (10 – 35) mg/l Pimephales promelas OECD GDL 203 (water accomodated fraction)	
EC50 crustacea	1 (1 – 1.5) mg/l OECD GDL 202 (water accomodated fraction)	
NOEC (acute)	10 mg/l Pimephales promelas OECD GDL 203 (water accomodated fraction)	
NOEC chronic crustacea	< 1 mg/l	
Maleic anhydride (108-31-6)		
LC50 fish 1	75 mg/l	
NOEC chronic algae	150 mg/l	

Lucas Semi-Synthetic SAE 20W-50 Racing Engine Oil

Lucas SAE 20W-50 Racing Engine Oil

Lucas Hot Rod & Classic Car Oil SAE 10W-30

Lucas Hot Rod & Classic Car Motor Oil SAE 10W-40

Lucas Hot Rod & Classic Car Oil SAE 20W-50

Lucas Chain Lubricant

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### 12.2. Persistence and degradability

Lucas Sprocket and Chain Lube

Lucas Semi-Synthetic SAE 20W-50 Racing Engine Oil

Lucas SAE 20W-50 Racing Engine Oil

Lucas Hot Rod & Classic Car Oil SAE 10W-30

Lucas Hot Rod & Classic Car Motor Oil SAE 10W-40

Lucas Hot Rod & Classic Car Oil SAE 20W-50

Lucas Chain Lubricant

Persistence and degradability Not established.

#### Distillates (petroleum), hydrotreated light paraffinic (DMSO <3%) (64742-55-8)

Persistence and degradability

Not readily biodegradable.

#### Oxymolybdenum di-2-ethylhexyl phos-phorodithioate, sulfurized (72030-25-2)

Persistence and degradability	Not readily biodegradable.
Biodegradation	11 % 28 d

#### 12.3. Bioaccumulative potential

Lucas Sprocket and Chain Lube

Lucas Semi-Synthetic SAE 20W-50 Racing Engine Oil

Lucas SAE 20W-50 Racing Engine Oil

Lucas Hot Rod & Classic Car Oil SAE 10W-30

Lucas Hot Rod & Classic Car Motor Oil SAE 10W-40

Lucas Hot Rod & Classic Car Oil SAE 20W-50

Lucas Chain Lubricant

Log Pow	Not determined
Bioaccumulative potential	Not established.

### Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu) esters, zinc salts (68442-22-8)

Log Pow 1.67

## 12.4. Mobility in soil

No data available

### 12.5. Results of PBT and vPvB assessment

Lucas Sprocket and Chain Lube

Lucas Semi-Synthetic SAE 20W-50 Racing Engine Oil

Lucas SAE 20W-50 Racing Engine Oil

Lucas Hot Rod & Classic Car Oil SAE 10W-30

Lucas Hot Rod & Classic Car Motor Oil SAE 10W-40

Lucas Hot Rod & Classic Car Oil SAE 20W-50

Lucas Chain Lubricant

vPvB: not yet assessed

## Component

Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu) esters, zinc salts (68442-22-8)

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

## 12.6. Endocrine disrupting properties

No data available

Lucas Semi-Synthetic SAE 20W-50 Racing Engine Oil

Lucas SAE 20W-50 Racing Engine Oil

Lucas Hot Rod & Classic Car Oil SAE 10W-30

Lucas Hot Rod & Classic Car Motor Oil SAE 10W-40

Lucas Hot Rod & Classic Car Oil SAE 20W-50

Lucas Chain Lubricant

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### 12.7. Other adverse effects

Additional information : Avoid release to the environment.

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Sewage disposal recommendations : Do not dispose of waste into sewer.

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

European List of Waste (LoW) code : For disposal within the EC, the appropriate code according to the European Waste

Catalogue (EWC) should be used.

### **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

#### 14.1. UN number or ID number

UN-No. (ADR) : Not applicable
UN-No. (IMDG) : Not applicable
UN-No. (IATA) : Not applicable
UN-No. (ADN) : Not applicable
UN-No. (RID) : Not applicable

#### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable
Proper Shipping Name (ADN) : Not applicable
Proper Shipping Name (RID) : Not applicable

### 14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : Not applicable

**IMDG** 

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

ADN

Transport hazard class(es) (ADN) : Not applicable

RID

Transport hazard class(es) (RID) : Not applicable

14.4. Packing group

Packing group (ADR) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable
Packing group (ADN) : Not applicable
Packing group (RID) : Not applicable

14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

#### 14.6. Special precautions for user

## Overland transport

Lucas Sprocket and Chain Lube
Lucas Semi-Synthetic SAE 20W-50 Racing Engine Oil
Lucas SAE 20W-50 Racing Engine Oil
Lucas Hot Rod & Classic Car Oil SAE 10W-30
Lucas Hot Rod & Classic Car Motor Oil SAE 10W-40
Lucas Hot Rod & Classic Car Oil SAE 20W-50

# Safety Data Sheet

Lucas Chain Lubricant

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Not applicable

#### Transport by sea

Not applicable

#### Air transport

Not applicable

### Inland waterway transport

Not applicable

### Rail transport

Not applicable

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU-Regulations

EU restriction lis	EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description	
3(b)	Lucas Sprocket and Chain Lube Lucas Semi-Synthetic SAE 20W-50 Racing Engine Oil Lucas SAE 20W-50 Racing Engine Oil Lucas Hot Rod & Classic Car Oil SAE 10W-30 Lucas Hot Rod & Classic Car Motor Oil SAE 10W-40 Lucas Hot Rod & Classic Car Oil SAE 20W-50 Lucas Chain Lubricant; c14-18 alpha-olefin epoxide, reaction products with boric acid; Distillates (petroleum), hydrotreated light paraffinic (DMSO <3%); Isopropanol; Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts; 4-methylpentan-2-ol; Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts; Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu) esters, zinc salts; Tris(2-ethylhexyl) orthoborate; Oxymolybdenum di-2-ethylhexyl phosphorodithioate, sulfurized	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	
3(c)	Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene; benzenepropanoic acid, 3,5-bis(1,1-dimethylethyl)-4-hydroxy-, C7-9-branched alkyl esters; Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts; Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts; Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu) esters, zinc salts; Tris(2-ethylhexyl) orthoborate; Oxymolybdenum di-2-ethylhexyl phos-phorodithioate, sulfurized	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	

Lucas Semi-Synthetic SAE 20W-50 Racing Engine Oil

Lucas SAE 20W-50 Racing Engine Oil

Lucas Hot Rod & Classic Car Oil SAE 10W-30

Lucas Hot Rod & Classic Car Motor Oil SAE 10W-40

Lucas Hot Rod & Classic Car Oil SAE 20W-50

Lucas Chain Lubricant

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	Isopropanol ; 4-methylpentan-2-ol	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
40.	Isopropanol; 4-methylpentan-2-ol	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Substances subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 july 2012 concerning the export and import of hazardous chemicals: Diphenylamine (122-39-4)

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

VOC content : Not determined

#### 15.1.2. National regulations

No data available

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

For the following substances of this mixture a chemical safety assessment has been carried out:

Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu) esters, zinc salts

## **SECTION 16: Other information**

Abbreviations and acro	nyms	
	ATE: Acute Toxicity Estimate	
	CAS (Chemical Abstracts Service) number	
	CLP: Classification, Labelling, Packaging.	
	EC50: Environmental Concentration associated with a response by 50% of the test population.	
	European List of Waste (LoW) code	
	GHS: Globally Harmonized System (of Classification and Labeling of Chemicals).	
	LD50: Lethal Dose for 50% of the test population	
	STEL: Short Term Exposure Limits	
	TWA: Time Weighted Average	
	WEL: Workplace Exposure Limit	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008	
IATA	International Air Transport Association	

Lucas Sprocket and Chain Lube
Lucas Semi-Synthetic SAE 20W-50 Racing Engine Oil
Lucas SAE 20W-50 Racing Engine Oil
Lucas Hot Rod & Classic Car Oil SAE 10W-30
Lucas Hot Rod & Classic Car Motor Oil SAE 10W-40
Lucas Hot Rod & Classic Car Oil SAE 20W-50
Lucas Chain Lubricant

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Abbreviations and acronyms		
IMDG International Maritime Dangerous Goods		
RID Regulations concerning the International Carriage of Dangerous Goods by Rail		

Data sources

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006. European Chemicals Agency (ECHA) C&L Inventory database. Accessed at http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database. Krister Forsberg and S.Z. Mansdorf, "Quick Selection Guide to Chemical Protective Clothing", Fifth Edition. Manufacturer Information. National Fire Protection Association. Fire Protection Guide to Hazardous Materials; 10th edition. United Nations Economic Commission for Europe: About the GHS. Accessed at http://www.unece.org/trans/danger/publi/ghs/ghs\_welcome\_e.html.

Other information : None.

Full text of H- and EUH-statements		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Asp. Tox. 1	Aspiration hazard, Category 1	
Carc. Not classified	Carcinogenicity Not classified	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.	
H372	Causes damage to organs through prolonged or repeated exposure.	
H400	Very toxic to aquatic life.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Resp. Sens. 1	Respiratory sensitisation, Category 1	
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	

Lucas Sprocket and Chain Lube
Lucas Semi-Synthetic SAE 20W-50 Racing Engine Oil
Lucas SAE 20W-50 Racing Engine Oil
Lucas Hot Rod & Classic Car Oil SAE 10W-30
Lucas Hot Rod & Classic Car Motor Oil SAE 10W-40
Lucas Hot Rod & Classic Car Oil SAE 20W-50
Lucas Chain Lubricant

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-statements		
Skin Sens. 1A Skin sensitisation, category 1A		
Skin Sens. 1B	Skin sensitisation, category 1B	
STOT RE 1 Specific target organ toxicity – Repeated exposure, Category 1		

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]		
Skin Sens. 1	H317	Calculation method

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.