



Lucas SAE 50 Plus Racing Engine Oil, Lucas SAE 70 Plus Racing Engine Oil, Lucas Tire & Trim Shine, Lucas Slick Mist Interior Detailer

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878
Issue date: 8/10/2022 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : Lucas SAE 50 Plus Racing Engine Oil, Lucas SAE 70 Plus Racing Engine Oil, Lucas Tire & Trim Shine, Lucas Slick Mist Interior Detailer

Product code :



1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public
Main use category : Industrial use, Professional use, Consumer use
Use of the substance/mixture : Lubricant

1.2.2. Uses advised against

Restrictions on use : No data available

1.3. Details of the supplier of the safety data sheet

Supplier

Lucas Oil Products UK Ltd
Unit 4 Cunliffe Drive
Llangefni Industrial Estate
LL77 7JA Llangefni
Anglesey - UK
T 01248 723 666
Info@LucasOil.co.uk - www.lucasoil.co.uk

Supplier

Lucas Oil Products Europe Ltd
Block 3 Harcourt Centre
Harcourt Road
Dublin 2
Ireland
T +44 344 225 5400
info@lucasoil.eu.com www.lucasoil.eu.com

1.4. Emergency telephone number

Emergency number : ChemTel
1-800-255-3924 (USA, Canada, Puerto Rico, US V.I.)
+1-813-248-0585 (International)

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	Only for healthcare professionals
United Kingdom	National Poisons Information Service (Cardiff Centre) University Hospital Llandough	Penlan Road CF64 2XX Llandough	0344 892 0111	Only for healthcare professionals
United Kingdom	National Poisons Information Service (Edinburgh Centre) Royal Infirmary of Edinburgh	Little France Crescent EH16 4SA Edinburgh	0344 892 0111	Only for healthcare professionals
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	+44 20 7188 7188	

Lucas SAE 50 Plus Racing Engine Oil, Lucas SAE 70 Plus Racing Engine Oil, Lucas Tire & Trim Shine, Lucas Slick Mist Interior Detailer

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Newcastle Centre) Regional Drugs and Therapeutics Centre	16/17 Framlington Place Newcastle-upon-Tyne NE2 4AB Newcastle	0344 892 0111	Only for healthcare professionals
United Kingdom	National Poisons Information Service (Belfast Centre) Royal Victoria Hospital	Grosvenor Road BT12 6BA Belfast	0344 892 0111	Only for healthcare professionals

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP] Mixtures/Substances: SDS EU > 2015: According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

Hazardous to the aquatic environment – Chronic Hazard, Category 3 H412

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No data available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Signal word (CLP)	: -
Hazard statements (CLP)	: H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P101 - If medical advice is needed, have product container or label at hand. P102 - Keep out of reach of children. P103 - Read carefully and follow all instructions. P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
EUH-statements	: EUH208 - Lucas SAE 50 Plus Racing Engine Oil, Lucas SAE 70 Plus Racing Engine Oil contains Oxymolybdenum di-2-ethylhexyl phos-phorodithioate, sulfurized(72030-25-2). Lucas Tire & Trim Shine, Lucas Slick Mist Interior Detailer contains bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate(41556-26-7), dipentene; limonene(138-86-3), reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)(55965-84-9). May produce an allergic reaction.
Unknown hazards to the aquatic environment (CLP)	: Contains 0.4 % of components with unknown hazards to the aquatic environment.
Child-resistant fastening	: Not applicable
Tactile warning	: Not applicable

2.3. Other hazards

vPvB: not yet assessed

Contains no PBT/vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

Component	
Distillates (petroleum), hydrotreated heavy paraffinic (DMSO < 3%) (64742-54-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu) esters, zinc salts (68442-22-8)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

Lucas SAE 50 Plus Racing Engine Oil, Lucas SAE 70 Plus Racing Engine Oil, Lucas Tire & Trim Shine, Lucas Slick Mist Interior Detailer

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Distillates (petroleum), hydrotreated heavy paraffinic (DMSO < 3%) substance with a Community workplace exposure limit (Note L)	CAS-No.: 64742-54-7 EC-No.: 265-157-1 EC Index-No.: 649-467-00-8 REACH-no: 01-2119484627-0018, 01-2119484627-25	0 - 55	Carc. Not classified Asp. Tox. 1, H304
Distillates (petroleum), hydrotreated heavy paraffinic (DMSO < 3%) (KV > 20.5 cSt) substance with a Community workplace exposure limit (Note L)	CAS-No.: 64742-54-7 EC-No.: 265-157-1 EC Index-No.: 649-467-00-8 REACH-no: 01-2119484627-0018	0 - 55	Carc. Not classified
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu) esters, zinc salts	CAS-No.: 68442-22-8 EC-No.: 270-478-5 REACH-no: 01-2119948548-22	1 - 5	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411
Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts	CAS-No.: 68649-42-3 EC-No.: 272-028-3	1 - 5	Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	CAS-No.: 68411-46-1 EC-No.: 270-128-1	1 - 3	STOT RE 2, H373 Aquatic Chronic 3, H412
benzenepropanoic acid, 3,5-bis(1,1-dimethylethyl)-4-hydroxy-, C7-9-branched alkyl esters	CAS-No.: 125643-61-0 EC-No.: 406-040-9 EC Index-No.: 607-530-00-7	1 - 3	Aquatic Chronic 4, H413
bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate	CAS-No.: 41556-26-7 EC-No.: 255-437-1	0.1 - 1	Skin Sens. 1, H317 Repr. 2, H361f Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Oxymolybdenum di-2-ethylhexyl phos-phorodithioate, sulfurized	CAS-No.: 72030-25-2 EC-No.: 615-708-0	0.1 - 1	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 3, H412
Diphenylamine substance with national workplace exposure limit(s) (IE, GB)	CAS-No.: 122-39-4 EC-No.: 204-539-4 EC Index-No.: 612-026-00-5	< 0.2	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Acute Tox. 3 (Inhalation:dust,mist), H331 STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
dipentene; limonene (Note C)	CAS-No.: 138-86-3 EC-No.: 205-341-0 EC Index-No.: 601-029-00-7	< 0.2	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Lucas SAE 50 Plus Racing Engine Oil, Lucas SAE 70 Plus Racing Engine Oil, Lucas Tire & Trim Shine, Lucas Slick Mist Interior Detailer

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (Note B)	CAS-No.: 55965-84-9 EC Index-No.: 613-167-00-5	< 0.0015	Acute Tox. 2 (Inhalation), H330 Acute Tox. 2 (Dermal), H310 Acute Tox. 3 (Oral), H301 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100)

Specific concentration limits		
Name	Product identifier	Specific concentration limits
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu) esters, zinc salts	CAS-No.: 68442-22-8 EC-No.: 270-478-5 REACH-no: 01-2119948548-22	(10 ≤C < 12.5) Eye Irrit. 2, H319 (12.5 ≤C ≤ 100) Eye Dam. 1, H318
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	CAS-No.: 55965-84-9 EC Index-No.: 613-167-00-5	(0.0015 ≤C ≤ 100) Skin Sens. 1A, H317 (0.06 ≤C < 0.6) Eye Irrit. 2, H319 (0.06 ≤C < 0.6) Skin Irrit. 2, H315 (0.6 ≤C ≤ 100) Eye Dam. 1, H318 (0.6 ≤C ≤ 100) Skin Corr. 1C, H314

Note B : Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

Note C : Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.

Note L : The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions — Dimethyl sulphoxide extraction refractive index method', Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3.

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

- First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
- First-aid measures after inhalation : If inhaled and if breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Allow the victim to rest.
- First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
- First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
- First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.
- Symptoms/effects after skin contact : Prolonged or repeated contact may cause skin to become dry or cracked.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Lucas SAE 50 Plus Racing Engine Oil, Lucas SAE 70 Plus Racing Engine Oil, Lucas Tire & Trim Shine, Lucas Slick Mist Interior Detailer

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Burning produces irritating, toxic and noxious fumes.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Wear a self contained breathing apparatus. Wear fire/flame resistant/retardant clothing. EN469.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid all eye and skin contact and do not breathe vapour and mist.

6.1.1. For non-emergency personnel

Protective equipment : Refer to section 8.2.

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Refer to section 8.2.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. On land, sweep or shovel into suitable containers. Collect spillage. Minimise generation of dust. Store away from other materials.

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid all eye and skin contact and do not breathe vapour and mist.

Hygiene measures : Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container closed when not in use. Keep only in the original container in a cool well ventilated place.

Incompatible products : Strong bases. Strong acids. Strong oxidizers.

7.3. Specific end use(s)

Lubricant.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. National occupational exposure and biological limit values

Diphenylamine (122-39-4)	
Ireland - Occupational Exposure Limits	
OEL (8 hours ref) (mg/m ³)	10 mg/m ³
OEL (15 min ref) (mg/m ³)	20 mg/m ³

Lucas SAE 50 Plus Racing Engine Oil, Lucas SAE 70 Plus Racing Engine Oil, Lucas Tire & Trim Shine, Lucas Slick Mist Interior Detailer

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Diphenylamine (122-39-4)	
United Kingdom - Occupational Exposure Limits	
WEL TWA (mg/m ³)	10 mg/m ³
WEL STEL (mg/m ³)	20 mg/m ³
Distillates (petroleum), hydrotreated heavy paraffinic (DMSO < 3%) (KV > 20.5 cSt) (64742-54-7)	
EU - Indicative Occupational Exposure Limit (IOEL)	
IOEL TWA	5 mg/m ³ 8-h (inhalable)

8.1.2. Recommended monitoring procedures

No data available

8.1.3. Air contaminants formed

No data available

8.1.4. DNEL and PNEC

No data available

8.1.5. Control banding

No data available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Avoid creating mist or spray. Avoid splashing. Either local exhaust or general room ventilation is usually required.

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

8.2.2.1. Eye and face protection

Eye protection:

In case of splashing or aerosol production: protective goggles. EN 166

8.2.2.2. Skin protection

Hand protection:

In case of repeated or prolonged contact wear gloves. nitrile rubber gloves. EN 374

8.2.2.3. Respiratory protection

Respiratory protection:

In case of inadequate ventilation wear respiratory protection. Use an approved respirator equipped with oil/mist cartridges. EN 136/140

8.2.2.4. Thermal hazards

No data available

8.2.3. Environmental exposure controls

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Variable.
Odour	: Petroleum.
Odour threshold	: Not determined
Melting point	: Not applicable

Lucas SAE 50 Plus Racing Engine Oil, Lucas SAE 70 Plus Racing Engine Oil, Lucas Tire & Trim Shine, Lucas Slick Mist Interior Detailer

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Freezing point	: Not determined
Boiling point	: Not determined
Flammability	: Non flammable.
Explosive properties	: Product is not explosive.
Oxidising properties	: No oxidizing properties.
Explosive limits	: Not available
Lower explosion limit	: Not applicable
Upper explosive limit (UEL)	: Not applicable
Flash point	: Not determined
Auto-ignition temperature	: Not determined
Decomposition temperature	: Not determined
pH	: Not determined
Viscosity, kinematic	: 73.4 – 191.3 mm ² /s @ 40 °C
Viscosity, dynamic	: Not determined
Solubility	: Insoluble in water.
Log Kow	: Not available
Log Pow	: Not determined
Vapour pressure	: Not determined
Vapour pressure at 50 °C	: Not available
Density	: Not determined
Relative density	: 0.866 – 0.876
Relative vapour density at 20 °C	: Not available
Particle size	: Not applicable
Particle size distribution	: Not applicable
Particle shape	: Not applicable
Particle aspect ratio	: Not applicable
Particle aggregation state	: Not applicable
Particle agglomeration state	: Not applicable
Particle specific surface area	: Not applicable
Particle dustiness	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No data available

9.2.2. Other safety characteristics

Relative evaporation rate (butylacetate=1)	: Not determined
VOC content	: Not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactions known.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidizers.

10.6. Hazardous decomposition products

None under normal use.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified
-----------------------	------------------

Lucas SAE 50 Plus Racing Engine Oil, Lucas SAE 70 Plus Racing Engine Oil, Lucas Tire & Trim Shine, Lucas Slick Mist Interior Detailer

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

Oxymolybdenum di-2-ethylhexyl phos-phorodithioate, sulfurized (72030-25-2)	
LD50 Oral rat	6.81 ml/kg
LD50 Dermal rabbit	10 ml/kg
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu) esters, zinc salts (68442-22-8)	
LD50 Oral rat	3600 mg/kg
LD50 Dermal rabbit	> 20000 mg/kg
Distillates (petroleum), hydrotreated heavy paraffinic (DMSO < 3%) (KV > 20.5 cSt) (64742-54-7)	
LD50 Oral rat	> 5000 mg/kg
LD50 Dermal rabbit	> 2000 mg/kg
LC50 Inhalation rat	> 5.53 mg/l/4h
Distillates (petroleum), hydrotreated heavy paraffinic (DMSO < 3%) (64742-54-7)	
LD50 Oral rat	> 5000 mg/kg
LD50 Dermal rabbit	> 2000 mg/kg
LC50 Inhalation rat	> 5.53 mg/l/4h
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1)	
LD50 Oral rat	> 5000 mg/kg
LD50 Dermal rat	> 2000 mg/kg
Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts (68649-42-3)	
LD50 Oral rat	26100 mg/kg
benzenepropanoic acid, 3,5-bis(1,1-dimethylethyl)-4-hydroxy-, C7-9-branched alkyl esters (125643-61-0)	
LD50 Oral rat	> 2000 mg/kg
LD50 Dermal rat	> 2000 mg/kg
bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate (41556-26-7)	
LD50 Oral rat	2369 (2369 – 3920) mg/kg
dipentene; limonene (138-86-3)	
LD50 Oral rat	> 2000 mg/kg
LD50 Dermal rabbit	> 5000 mg/kg
Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met)
Serious eye damage/irritation	: Not classified (Based on available data, the classification criteria are not met)
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
Diphenylamine (122-39-4)	
IARC group	2B - Possibly carcinogenic to humans
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
dipentene; limonene (138-86-3)	
NOAEL (animal/male, F0/P)	500 (500 – 600) mg/kg

Lucas SAE 50 Plus Racing Engine Oil, Lucas SAE 70 Plus Racing Engine Oil, Lucas Tire & Trim Shine, Lucas Slick Mist Interior Detailer

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

dipentene; limonene (138-86-3)	
NOAEL (animal/female, F0/P)	500 (500 – 600) mg/kg
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
Diphenylamine (122-39-4)	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1)	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
dipentene; limonene (138-86-3)	
NOAEL (subacute, oral, animal/male, 28 days)	825 mg/kg bodyweight
NOAEL (subacute, oral, animal/female, 28 days)	1650 mg/kg bodyweight
NOAEL (subchronic, oral, animal/male, 90 days)	500 (100 – 600) mg/kg bodyweight
NOAEL (subchronic, oral, animal/female, 90 days)	500 (100 – 600) mg/kg bodyweight
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)
Lucas SAE 50 Plus Racing Engine Oil, Lucas SAE 70 Plus Racing Engine Oil, Lucas Tire & Trim Shine, Lucas Slick Mist Interior Detailer	
Viscosity, kinematic	73.4 – 191.3 mm ² /s @ 40 °C

11.2. Information on other hazards

No data available

SECTION 12: Ecological information

12.1. Toxicity

Unknown hazards to the aquatic environment (CLP) : Contains 0.4 % of components with unknown hazards to the aquatic environment
 Hazardous to the aquatic environment, short-term (acute) : Not classified (Based on available data, the classification criteria are not met)
 Hazardous to the aquatic environment, long-term (chronic) : Harmful to aquatic life with long lasting effects.

Oxymolybdenum di-2-ethylhexyl phos-phorodithioate, sulfurized (72030-25-2)	
LC50 fish 1	100 mg/l 96 h
EC50 crustacea	100 mg/l 48 h
EC50 72h - Algae [1]	100 mg/l 72 h
Diphenylamine (122-39-4)	
LC50 fish 1	4.14 ppm
EC50 crustacea	2.46 mg/l
EC50 other aquatic organisms 1	0.36 mg/l
Distillates (petroleum), hydrotreated heavy paraffinic (DMSO < 3%) (KV > 20.5 cSt) (64742-54-7)	
EC50 crustacea	> 10000 mg/l
Distillates (petroleum), hydrotreated heavy paraffinic (DMSO < 3%) (64742-54-7)	
EC50 crustacea	> 10000 mg/l
Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts (68649-42-3)	
LC50 fish 1	10 (10 – 35) mg/l Pimephales promelas OECD GDL 203 (water accomodated fraction)
EC50 crustacea	1 (1 – 1.5) mg/l OECD GDL 202 (water accomodated fraction)

Lucas SAE 50 Plus Racing Engine Oil, Lucas SAE 70 Plus Racing Engine Oil, Lucas Tire & Trim Shine, Lucas Slick Mist Interior Detailer

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts (68649-42-3)	
NOEC (acute)	10 mg/l Pimephales promelas OECD GDL 203 (water accomodated fraction)
NOEC chronic crustacea	< 1 mg/l
benzenepropanoic acid, 3,5-bis(1,1-dimethylethyl)-4-hydroxy-, C7-9-branched alkyl esters (125643-61-0)	
LC50 fish 1	> 74 mg/l
EC50 crustacea	4.3 mg/l
ErC50 algae	> 3 mg/l
NOEC (acute)	100 mg/l
bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate (41556-26-7)	
LC50 fish 1	0.97 mg/l 96 h
EC50 crustacea	20 mg/l 24 h
EC50 96h - Algae [1]	0.017 mg/l Source: Ecological Structure Activity Relationships
dipentene; limonene (138-86-3)	
LC50 fish 1	95 mg/l Oncorhynchus mykiss (Pesticide Ecotoxicity Data from EPA)
EC50 crustacea	< 1 mg/l
12.2. Persistence and degradability	
Lucas SAE 50 Plus Racing Engine Oil, Lucas SAE 70 Plus Racing Engine Oil, Lucas Tire & Trim Shine, Lucas Slick Mist Interior Detailer	
Persistence and degradability	Not established.
Oxymolybdenum di-2-ethylhexyl phos-phorodithioate, sulfurized (72030-25-2)	
Persistence and degradability	Not readily biodegradable.
Biodegradation	11 % 28 d
Diphenylamine (122-39-4)	
Persistence and degradability	Not established.
benzenepropanoic acid, 3,5-bis(1,1-dimethylethyl)-4-hydroxy-, C7-9-branched alkyl esters (125643-61-0)	
Persistence and degradability	Not readily biodegradable. May cause long-term adverse effects in the environment.
bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate (41556-26-7)	
Biodegradation	38 % 28 d
12.3. Bioaccumulative potential	
Lucas SAE 50 Plus Racing Engine Oil, Lucas SAE 70 Plus Racing Engine Oil, Lucas Tire & Trim Shine, Lucas Slick Mist Interior Detailer	
Log Pow	Not determined
Bioaccumulative potential	Not established.
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu) esters, zinc salts (68442-22-8)	
Log Pow	1.67
Diphenylamine (122-39-4)	
Bioaccumulative potential	Not established.
benzenepropanoic acid, 3,5-bis(1,1-dimethylethyl)-4-hydroxy-, C7-9-branched alkyl esters (125643-61-0)	
Bioaccumulative potential	Bioaccumulative potential. Not established.

Lucas SAE 50 Plus Racing Engine Oil, Lucas SAE 70 Plus Racing Engine Oil, Lucas Tire & Trim Shine, Lucas Slick Mist Interior Detailer

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate (41556-26-7)	
Log Pow	0.37
dipentene; limonene (138-86-3)	
BCF - Other aquatic organisms [1]	660

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

Lucas SAE 50 Plus Racing Engine Oil, Lucas SAE 70 Plus Racing Engine Oil, Lucas Tire & Trim Shine, Lucas Slick Mist Interior Detailer	
vPvB: not yet assessed	
Component	
Distillates (petroleum), hydrotreated heavy paraffinic (DMSO < 3%) (64742-54-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu) esters, zinc salts (68442-22-8)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Endocrine disrupting properties

No data available

12.7. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Sewage disposal recommendations : Do not dispose of waste into sewer.
Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials : Avoid release to the environment.
European List of Waste (LoW) code : For disposal within the EC, the appropriate code according to the European Waste Catalogue (EWC) should be used.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1. UN number or ID number

UN-No. (ADR) : Not regulated
UN-No. (IMDG) : Not regulated
UN-No. (IATA) : Not regulated
UN-No. (ADN) : Not regulated
UN-No. (RID) : Not regulated

14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not regulated
Proper Shipping Name (IMDG) : Not regulated
Proper Shipping Name (IATA) : Not regulated
Proper Shipping Name (ADN) : Not regulated
Proper Shipping Name (RID) : Not regulated

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : Not regulated

IMDG

Transport hazard class(es) (IMDG) : Not regulated

IATA

Lucas SAE 50 Plus Racing Engine Oil, Lucas SAE 70 Plus Racing Engine Oil, Lucas Tire & Trim Shine, Lucas Slick Mist Interior Detailer

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Transport hazard class(es) (IATA) : Not regulated

ADN

Transport hazard class(es) (ADN) : Not regulated

RID

Transport hazard class(es) (RID) : Not regulated

14.4. Packing group

Packing group (ADR) : Not regulated

Packing group (IMDG) : Not regulated

Packing group (IATA) : Not regulated

Packing group (ADN) : Not regulated

Packing group (RID) : Not regulated

14.5. Environmental hazards

Dangerous for the environment : No

Marine pollutant : No

Other information : No supplementary information available

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

Inland waterway transport

Not regulated

Rail transport

Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Lucas SAE 50 Plus Racing Engine Oil, Lucas SAE 70 Plus Racing Engine Oil, Lucas Tire & Trim Shine, Lucas Slick Mist Interior Detailer

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(b)	Lucas SAE 50 Plus Racing Engine Oil Lucas SAE 70 Plus Racing Engine Oil Lucas Tire & Trim Shine Lucas Slick Mist Interior Detailer ; Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts ; bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate ; Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu) esters, zinc salts ; Oxymolybdenum di-2-ethylhexyl phosphorodithioate, sulfurized	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	Lucas SAE 50 Plus Racing Engine Oil Lucas SAE 70 Plus Racing Engine Oil Lucas Tire & Trim Shine Lucas Slick Mist Interior Detailer ; Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts ; bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate ; Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu) esters, zinc salts ; Oxymolybdenum di-2-ethylhexyl phosphorodithioate, sulfurized	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Substances subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals: Diphenylamine (122-39-4)

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

VOC content : Not determined

15.1.2. National regulations

No data available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

For the following substances of this mixture a chemical safety assessment has been carried out:

Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu) esters, zinc salts

SECTION 16: Other information

Lucas SAE 50 Plus Racing Engine Oil, Lucas SAE 70 Plus Racing Engine Oil, Lucas Tire & Trim Shine, Lucas Slick Mist Interior Detailer

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Abbreviations and acronyms	
	ATE: Acute Toxicity Estimate
	CAS (Chemical Abstracts Service) number
	CLP: Classification, Labelling, Packaging.
	EC50: Environmental Concentration associated with a response by 50% of the test population.
	European List of Waste (LoW) code
	GHS: Globally Harmonized System (of Classification and Labeling of Chemicals).
	LD50: Lethal Dose for 50% of the test population
	STEL: Short Term Exposure Limits
	TWA: Time Weighted Average
	WEL: Workplace Exposure Limit
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006. European Chemicals Agency (ECHA) C&L Inventory database. Accessed at <http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database>. Krister Forsberg and S.Z. Mansdorf, "Quick Selection Guide to Chemical Protective Clothing", Fifth Edition. Manufacturer Information. National Fire Protection Association. Fire Protection Guide to Hazardous Materials; 10th edition. United Nations Economic Commission for Europe: About the GHS. Accessed at http://www.unece.org/trans/danger/publi/ghs/ghs_welcome_e.html.

Other information : None.

Full text of H- and EUH-statements	
Acute Tox. 2 (Dermal)	Acute toxicity (dermal), Category 2
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Aquatic Chronic 4	Hazardous to the aquatic environment – Chronic Hazard, Category 4

Lucas SAE 50 Plus Racing Engine Oil, Lucas SAE 70 Plus Racing Engine Oil, Lucas Tire & Trim Shine, Lucas Slick Mist Interior Detailer

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-statements	
Asp. Tox. 1	Aspiration hazard, Category 1
Carc. Not classified	Carcinogenicity Not classified
EUH208	Contains Oxymolybdenum di-2-ethylhexyl phos-phorodithioate, sulfurized(72030-25-2), bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate(41556-26-7), dipentene; limonene(138-86-3), reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)(55965-84-9). May produce an allergic reaction.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H304	May be fatal if swallowed and enters airways.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H361f	Suspected of damaging fertility.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.
Repr. 2	Reproductive toxicity, Category 2
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1A	Skin sensitisation, category 1A
Skin Sens. 1B	Skin sensitisation, category 1B
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]		
Aquatic Chronic 3	H412	Calculation method

Lucas SAE 50 Plus Racing Engine Oil, Lucas SAE 70 Plus Racing Engine Oil, Lucas Tire & Trim Shine, Lucas Slick Mist Interior Detailer

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.