# Safety Data Sheet

according to Regulation (EU) 2015/830 Date of issue: 6/27/2016 Version: 1.0



# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1. Product identifier

Product form : Mixture

Product name : Lucas Deep Clean Fuel System Cleaner

Product code : . 40512, 10669

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Use of the substance/mixture : Cleaner

# 1.2.2. Uses advised against

No additional information available

# 1.3. Details of the supplier of the safety data sheet

Lucas Oil Products, Inc 302 North Sheridan Street 92880-2067 Corona, California - USA T (951) 270-0154 - F (951) 270-1902 GHewgill@lucasoil.com - www.LucasOil.com

## 1.4. Emergency telephone number

Emergency number : (951) 493-1149 (951) 847-5949 7:00A.M. to 5:00P.M. Monday thru Friday

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4

Acute toxicity (inhalation:dust,mist) Category 4

Skin corrosion/irritation, Category 2

H315

Serious eye damage/eye irritation, Category 1

H318

Specific target organ toxicity — Single exposure, Category 3, Narcosis

Hazardous to the aquatic environment — Chronic Hazard, Category 2

H411

Full text of hazard classes and H-statements : see section 16

## Adverse physicochemical, human health and environmental effects

No additional information available

## 2.2. Label elements

## Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)







GHS05

Signal word (CLP) : Danger

Hazardous ingredients : Naphtha (petroleum), hydrotreated heavy (benzene < 0.1%); Distillates (petroleum),

hydrotreated light; Oxirane, 2-ethyl-, homopolymer, 3-aminopropyl C11-14-isoalkyl ethers, C13-

ricn

Hazard statements (CLP) : H302+H332 - Harmful if swallowed or if inhaled

H315 - Causes skin irritation H318 - Causes serious eye damage H336 - May cause drowsiness or dizziness

H411 - Toxic to aquatic life with long lasting effects

Precautionary statements (CLP) : P261 - Avoid breathing mist, spray, vapours

P264 - Wash hands, forearms and face thoroughly after handling P270 - Do not eat, drink or smoke when using this product P271 - Use only outdoors or in a well-ventilated area

P273 - Avoid release to the environment P280 - Wear eye protection, protective gloves

6/27/2016 EN (English) SDS Ref.: LUK1606003 1/11

# Safety Data Sheet

according to Regulation (EU) 2015/830

P301+P312 - If swallowed: Call a poison center or doctor

P302+P352 - IF ON SKIN: Wash with plenty of water

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing P310 - Immediately call a POISON CENTER/doctor

P312 - Call a poison center or doctor if you feel unwell

P321 - Specific treatment (see First aid measures on this label)

P330 - Rinse mouth

P332+P313 - If skin irritation occurs: Get medical advice/attention P362+P364 - Take off contaminated clothing and wash it before reuse

P391 - Collect spillage

P403+P233 - Store in a well-ventilated place. Keep container tightly closed

P405 - Store locked up

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation

#### 2.3. Other hazards

PBT: not yet assessed vPvB: not yet assessed

# **SECTION 3: Composition/information on ingredients**

# 3.1. Substance

Not applicable

#### 3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Naphtha (petroleum), hydrotreated heavy (benzene < 0.1%) (Note P)	(CAS No) 64742-48-9 (EC no) 265-150-3 (EC index no) 649-327-00-6	0 - 60	Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Distillates (petroleum), hydrotreated light	(CAS No) 64742-47-8 (EC no) 265-149-8 (EC index no) 649-422-00-2	0 - 60	Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Oxirane, 2-ethyl-, homopolymer, 3-aminopropyl C11-14-isoalkyl ethers, C13-rich	(EC no) polymer	15 – 40	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 Aquatic Chronic 2, H411
Polyether	(EC no) polymer	1 – 15	Eye Irrit. 2, H319

Note P: The classification as a carcinogen or mutagen need not apply if it can be shown that the substance contains less than 0,1 % w/w benzene (EINECS No 200-753-7). When the substance is not classified as a carcinogen at least the precautionary statements (P102-)P260-P262- P301 + P310-P331 (Table 3.1) or the S-phrases (2-)23-24-62 (Table 3.2) shall apply. This note applies only to certain complex oil-derived substances in Part 3.

Full text of H-statements: see section 16

# SECTION 4: First aid measures

First-aid measures after eye contact

# 4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice (show the label where possible). Never give anything by mouth to an unconscious person.

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. Artificial respiration and/or oxygen i

POISON CENTER or doctor/physician if you feel unwell. Artificial respiration and/or oxygen if necessary.

First-aid measures after skin contact : Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention.

: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

First-aid measures after ingestion : Rinse mouth. Call a POISON CENTER or doctor/physician if you feel unwell. Do NOT induce vomiting.

# 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : Danger of serious damage to health by prolonged exposure through inhalation. Harmful if

inhaled. May cause drowsiness or dizziness.

Symptoms/injuries after skin contact : Causes skin irritation.

Symptoms/injuries after eye contact : Causes serious eye damage.

6/27/2016 EN (English) SDS Ref.: LUK1606003 2/11

# Safety Data Sheet

according to Regulation (EU) 2015/830

Symptoms/injuries after ingestion : Swallowing a small quantity of this material will result in serious health hazard. Harmful if

swallowed.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry chemical. Foam.

Unsuitable extinguishing media : Do not use a heavy water stream.

# 5.2. Special hazards arising from the substance or mixture

Fire hazard : Burning produces irritating, toxic and noxious fumes. Combustible liquid.

Explosion hazard : Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of

burns and injuries.

5.3. Advice for firefighters

Precautionary measures fire : Keep away from ignition sources.

Firefighting instructions : Cool adjacent structures and containers with water spray to protect and prevent ignition. Do not

allow run-off from fire fighting to enter drains or water courses.

Protection during firefighting : Wear a self contained breathing apparatus. Wear fire/flame resistant/retardant clothing. EN469.

# **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid all eye and skin contact and do not breathe vapour and mist. Eliminate every possible

source of ignition.

6.1.1. For non-emergency personnel

Protective equipment : Use personal protective equipment as required. Refer to section 8.2.

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required. Refer to section 8.2.

Emergency procedures : Stop leak if safe to do so. Ventilate area.

# 6.2. Environmental precautions

Prevent entry to sewers and public waters. Do not discharge into drains or the environment.

## 6.3. Methods and material for containment and cleaning up

For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or

streams.

Methods for cleaning up : Absorb and/or contain spill with inert material, then place in suitable container.

## 6.4. Reference to other sections

Section 13: disposal information. Section 7: safe handling. Section 8: personal protective equipment.

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

Precautions for safe handling : Use only outdoors or in a well-ventilated area. Avoid all eye and skin contact and do not

breathe vapour and mist. Ensure good ventilation of the work station. Keep away from sources

of ignition - No smoking.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with

mild soap and water before eating, drinking or smoking and when leaving work. Handle in

accordance with good industrial hygiene and safety procedures.

# 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container tightly closed. Do not store near food, foodstuffs, drugs, or potable water

supplies.

Incompatible products : Strong acids. Strong bases. Strong oxidizers. Heat and ignition sources : Keep away from heat, sparks and flame.

Prohibitions on mixed storage : Incompatible materials.

Storage area : Store in dry, cool, well-ventilated area.

# 7.3. Specific end use(s)

Cleaner.

6/27/2016 EN (English) SDS Ref.: LUK1606003 3/11

# Safety Data Sheet

according to Regulation (EU) 2015/830

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

Distillates (petroleum), hydrotreated light (64742-47-8)

Germany TRGS 900 Occupational exposure limit value (mg/m³) 600 mg/m³

8.2. Exposure controls

Appropriate engineering controls : Avoid splashing. Emergency safety showers should be available in the immediate vicinity of

any potential exposure. Emergency eye wash fountains should be available in the immediate

vicinity of any potential exposure. Ensure good ventilation of the work station.

Personal protective equipment : Avoid all unnecessary exposure.

Hand protection:

Wear suitable gloves resistant to chemical penetration. nitrile rubber gloves. EN374

Eve protection:

Chemical goggles or safety glasses. EN166

Skin and body protection:

Wear suitable protective clothing. Long sleeved protective clothing

Respiratory protection:

Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. EN 12083. Use an approved respirator

equipped with oil/mist cartridges

Environmental exposure controls : Prevent contaminated water run-off. Prevent leakage or spillage.

Other information : Do not eat, drink or smoke when using this product.

# **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : amber. Odour petroleum. Odour threshold : No data available pΗ : No data available Relative evaporation rate (butylacetate=1) : No data available Melting point : No data available Freezing point : No data available **Boiling point** : No data available

Flash point : 68.3 °C

Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : No data available
Vapour pressure : No data available
Relative vapour density at 20 °C : No data available

Relative density : 0.866 Density : 7.21 lb/gal Solubility : No data available Log Pow : No data available Viscosity, kinematic : > 22 cSt @ 40 °C Viscosity, dynamic : No data available : No data available Explosive properties Oxidising properties : No data available **Explosive limits** : No data available

## 9.2. Other information

No additional information available

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

No dangerous reactions known.

6/27/2016 EN (English) SDS Ref.: LUK1606003 4/11

# Safety Data Sheet

according to Regulation (EU) 2015/830

## 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

### 10.4. Conditions to avoid

Heat.

ATE CLP (oral)

# 10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidizers.

### 10.6. Hazardous decomposition products

Burning produces irritating, toxic and noxious fumes.

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

Acute toxicity : Oral: Harmful if swallowed. Inhalation:dust,mist: Harmful if inhaled.

1388.889 mg/kg bodyweight

ATE CLP (dust,mist)	1.500 mg/l/4h	
Naphtha (petroleum), hydrotreated heavy (benzene < 0.1%) (64742-48-9)		
LD50 oral rat	> 5000 mg/kg	
LD50 dermal rabbit	> 2000 mg/kg	
LC50 inhalation rat (mg/l)	> 5610 mg/m <sup>3</sup>	

	E000 illinalation fat (ilig/i)	2 00 TO HIGHT
Distillates (petroleum), hydrotreated light (64742-47-8)		742-47-8)
	LD50 oral rat	> 5000 mg/kg
	LD50 dermal rabbit	> 2000 mg/kg
	LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 5.28 mg/l/4h

Skin corrosion/irritation : Causes skin irritation.

Serious eye damage/irritation : Causes serious eye damage.

Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified

Specific target organ toxicity (single exposure) : May cause drowsiness or dizziness.

Specific target organ toxicity (repeated

exposure)

: Not classified

Aspiration hazard : Not classified

Lucas Deep Clean Fuel System Cleaner	
Viscosity, kinematic	> 22 mm²/s @ 40 °C

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Ecology - water : Toxic to aquatic life with long lasting effects.

Naphtha (petroleum), hydrotreated heavy (benzene < 0.1%) (64742-48-9)			
LC50 fish 1	10 mg/l 96 h		
EC50 Daphnia 1	1.4 mg/l 48 h		
Distillates (petroleum), hydrotreated light (64742-47-8)			
LC50 fish 1	> 1 mg/l 96 h		
NOEC chronic fish $> 0.01 \le 0.1 \text{ mg/l}$ NOEC chronic crustacea $> 0.01 \le 0.1 \text{ mg/l}$			
		Oxirane, 2-ethyl-, homopolymer, 3-aminopropyl C11-14-isoalkyl ethers, C13-rich	
LC50 fish 1	3.8 mg/l Fathead minnow 96 h		
LC50 fish 2 3.3 mg/l Rainbow trout 96 h			
EC50 72h algae (1)	39 mg/l 96 h		
Polyether	Polyether		
EC50 72h algae (1)	39 mg/l 96 h		

6/27/2016 EN (English) SDS Ref.: LUK1606003 5/11

# Safety Data Sheet

according to Regulation (EU) 2015/830

#### 12.2. Persistence and degradability

Lucas Deep Clean Fuel System Cleaner		
Persistence and degradability May cause long-term adverse effects in the environment.		
Naphtha (petroleum), hydrotreated heavy (benzene < 0.1%) (64742-48-9)		
Biodegradation	61 % 28 d	

#### 12.3. Bioaccumulative potential

Lucas Deep Clean Fuel System Cleaner		
Bioaccumulative potential Not established.		
Distillates (petroleum), hydrotreated light (64742-47-8)		
Log Kow	2.1 - 5	
Bioaccumulative potential Bioaccumulative potential.		

#### 12.4. Mobility in soil

Lucas Deep Clean Fuel System Cleaner	
Ecology - soil	No additional information available.

#### 12.5. Results of PBT and vPvB assessment

Lucas Deep Clean Fuel System Cleaner
PBT: not yet assessed
vPvB: not yet assessed

#### 12.6. Other adverse effects

Additional information : No additional information available

# **SECTION 13: Disposal considerations**

### Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

European List of Waste (LoW) code For disposal within the EC, the appropriate code according to the European Waste Catalogue

(EWC) should be used

# **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

# **UN** number

UN-No. (ADR) : 3082 UN-No. (IMDG) : 3082 UN-No. (IATA) : 3082 UN-No. (ADN) 3082 UN-No. (RID) 3082

#### 14.2. UN proper shipping name

Proper Shipping Name (RID)

Proper Shipping Name (ADR) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Petroleum distillates;

Oxirane, 2-ethyl-, homopolymer, 3-aminopropyl C11-14-isoalkyl ethers, C13-rich)

Proper Shipping Name (IMDG) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Petroleum distillates;

Oxirane, 2-ethyl-, homopolymer, 3-aminopropyl C11-14-isoalkyl ethers, C13-rich)

Proper Shipping Name (IATA) : Environmentally hazardous substance, liquid, n.o.s. (Petroleum distillates; Oxirane, 2-ethyl-, homopolymer, 3-aminopropyl C11-14-isoalkyl ethers, C13-rich)

: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Petroleum distillates;

Proper Shipping Name (ADN) Oxirane, 2-ethyl-, homopolymer, 3-aminopropyl C11-14-isoalkyl ethers, C13-rich)

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Petroleum distillates;

Oxirane, 2-ethyl-, homopolymer, 3-aminopropyl C11-14-isoalkyl ethers, C13-rich)

Transport document description (ADR) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Petroleum

distillates; Oxirane, 2-ethyl-, homopolymer, 3-aminopropyl C11-14-isoalkyl ethers, C13-rich), 9,

III, (E)

Transport document description (IMDG) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Petroleum

distillates; Oxirane, 2-ethyl-, homopolymer, 3-aminopropyl C11-14-isoalkyl ethers, C13-rich), 9,

III, MARINE POLLUTANT

Transport document description (IATA) : UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Petroleum distillates; Oxirane, 2-

ethyl-, homopolymer, 3-aminopropyl C11-14-isoalkyl ethers, C13-rich), 9, III

: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Petroleum Transport document description (ADN)

distillates; Oxirane, 2-ethyl-, homopolymer, 3-aminopropyl C11-14-isoalkyl ethers, C13-rich), 9,

6/27/2016 EN (English) SDS Ref.: LUK1606003 6/11

# Safety Data Sheet

according to Regulation (EU) 2015/830

Transport document description (RID) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Petroleum

distillates; Oxirane, 2-ethyl-, homopolymer, 3-aminopropyl C11-14-isoalkyl ethers, C13-rich), 9,

Ш

# 14.3. Transport hazard class(es)

### ADR

Transport hazard class(es) (ADR) : 9
Danger labels (ADR) : 9



### **IMDG**

Transport hazard class(es) (IMDG) : 9
Danger labels (IMDG) : 9



# IATA

Transport hazard class(es) (IATA) : 9
Hazard labels (IATA) : 9



## ADN

Transport hazard class(es) (ADN) : 9
Danger labels (ADN) : 9



# RID

Transport hazard class(es) (RID) : 9
Danger labels (RID) : 9



# 14.4. Packing group

Packing group (ADR) : III
Packing group (IMDG) : III
Packing group (IATA) : III
Packing group (ADN) : III
Packing group (RID) : III

6/27/2016 EN (English) SDS Ref.: LUK1606003 7/11

# Safety Data Sheet

according to Regulation (EU) 2015/830

# 14.5. Environmental hazards

Dangerous for the environment : Yes
Marine pollutant : Yes

Other information : No supplementary information available

# 14.6. Special precautions for user

### - Overland transport

Classification code (ADR) : M6

Special provisions (ADR) : 274, 335, 601, 375

Limited quantities (ADR) : 5l Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions : T4

(ADR)

Portable tank and bulk container special : TP1, TP29

provisions (ADR)

Tank code (ADR) : LGBV

Vehicle for tank carriage : AT

Transport category (ADR) : 3

Special provisions for carriage - Packages

(ADR)

: V12

Special provisions for carriage - Loading,

unloading and handling (ADR)

: CV13

: A

Hazard identification number (Kemler No.) : 9

Orange plates

90 3082

Tunnel restriction code (ADR) : E EAC code : •3Z

# - Transport by sea

Special provisions (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 5 L
Excepted quantities (IMDG) : E1

Packing instructions (IMDG) : P001, LP01
Special packing provisions (IMDG) : PP1
IBC packing instructions (IMDG) : IBC03
Tank instructions (IMDG) : T4
Tank special provisions (IMDG) : TP2, TP29
EmS-No. (Fire) : F-A
EmS-No. (Spillage) : S-F

- Air transport

Stowage category (IMDG)

PCA Excepted quantities (IATA) : E1

PCA Limited quantities (IATA) : Y964

PCA limited quantity max net quantity (IATA) : 30kgG

PCA packing instructions (IATA) : 964

PCA max net quantity (IATA) : 450L

CAO packing instructions (IATA) : 964

CAO max net quantity (IATA) : 450L

Special provisions (IATA) : A97, A158, A197

ERG code (IATA) : 9L

- Inland waterway transport

Classification code (ADN) : M6

6/27/2016 EN (English) SDS Ref.: LUK1606003 8/11

# Safety Data Sheet

according to Regulation (EU) 2015/830

Special provisions (ADN) : 274, 335, 375, 601

Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E1

Carriage permitted (ADN) : T

Equipment required (ADN) : PP

Number of blue cones/lights (ADN) : 0

- Rail transport

Classification code (RID) : M6

Special provisions (RID) : 274, 335, 375, 601

Limited quantities (RID) : 5L Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Special packing provisions (RID) : PP1
Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions : T4

Portable tank and bulk container instructions

(RID)

TD4 TD00

Portable tank and bulk container special

provisions (RID)

: TP1, TP29

Tank codes for RID tanks (RID) : LGBV
Transport category (RID) : 3
Special provisions for carriage – Packages : W12

(RID)

Special provisions for carriage - Loading, : CW13, CW31

unloading and handling (RID)

Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 90

# 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

# 15.1.2. National regulations

Germany

VwVwS Annex reference : Water hazard class (WGK) 2, hazard to waters (Classification according to VwVwS, Annex 4)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen : Naphtha (petroleum), hydrotreated heavy (benzene < 0.1%),Distillates (petroleum),

hydrotreated light are listed

SZW-lijst van mutagene stoffen : Naphtha (petroleum), hydrotreated heavy (benzene < 0.1%), Distillates (petroleum),

hydrotreated light are listed

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen – Borstvoeding

: None of the components are listed

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen - Vruchtbaarheid

: None of the components are listed

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen - Ontwikkeling

: None of the components are listed

Denmark

Class for fire hazard : Class III-1 Store unit : 50 liter

Classification remarks : Flammable according to the Danish Ministry of Justice; Emergency management guidelines for

the storage of flammable liquids must be followed

6/27/2016 EN (English) SDS Ref.: LUK1606003 9/11

# Safety Data Sheet

according to Regulation (EU) 2015/830

Recommendations Danish Regulation

: Young people below the age of 18 years are not allowed to use the product

The requirements from the Danish Working Environment Authorities regarding work with

carcinogens must be followed during use and disposal

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

# **SECTION 16: Other information**

#### Abbreviations and acronyms:

	ATE: Acute Toxicity Estimate		
	CAS (Chemical Abstracts Service) number		
	CLP: Classification, Labelling, Packaging.		
	EC50: Environmental Concentration associated with a response by 50% of the test population.		
	European List of Waste (LoW) code		
	LD50: Lethal Dose for 50% of the test population		
	PBT: Persistent, Bioaccumulative, Toxic		
	STEL: Short Term Exposure Limits		
	TWA: Time Weighted Average		
vPvB	Very Persistent and Very Bioaccumulative		

Data sources

: European Chemicals Agency (ECHA) C&L Inventory database. Accessed at http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database.

Krister Forsberg and S.Z. Mansdorf, "Quick Selection Guide to Chemical Protective Clothing", Fifth Edition.

National Fire Protection Association. Fire Protection Guide to Hazardous Materials; 10th edition.

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information

: None.

# Full text of H- and EUH-statements:

Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4	
Acute Tox. 4 (Inhalation:dust,mist)	Tox. 4 (Inhalation:dust,mist)	
Acute Tox. 4 (Oral) Acute toxicity (oral), Category 4		
Aquatic Chronic 2 Hazardous to the aquatic environment — Chronic Hazard, Category 2		
Asp. Tox. 1 Aspiration hazard, Category 1		
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
Skin Irrit. 2 Skin corrosion/irritation, Category 2		
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis	
H226	Flammable liquid and vapour	
H302	Harmful if swallowed	
H304	May be fatal if swallowed and enters airways	
H315	Causes skin irritation	
H318	Causes serious eye damage	
H319	Causes serious eye irritation	
H332	Harmful if inhaled	
H336	May cause drowsiness or dizziness	
H411 Toxic to aquatic life with long lasting effects		

# Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Acute Tox. 4 (Oral)	H302	Calculation method
Acute Tox. 4 (Inhalation:dust,mist)	H332	Calculation method
Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method
STOT SE 3	H336	Calculation method
Aquatic Chronic 2	H411	Calculation method

SDS prepared by: The Redstone Group, LLC.

6/27/2016 EN (English) SDS Ref.: LUK1606003 10/11

# Safety Data Sheet

according to Regulation (EU) 2015/830

6077 Frantz Rd. Suite 206 Dublin, Ohio, USA 43016 614.923.7472 www.redstonegrp.com

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

6/27/2016 EN (English) SDS Ref.: LUK1606003 11/11