

Date Version : 15/07/2014

: 1

SAFETY DATA SHEET

Lucas SAE 80W-90 Gear Oil

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier				
Product name : Lucas SAE 80W-90 Gear Oil				
REACH Registration numb	<u>per</u>			
Registration num	mber Legal entity			
64742-54-7-01-2119484627	7-25-0059			
Product code	: 10043, 10046, 10066, 10067, 10069)			
Product description	: Not available.			
Product type	: Liquid.			
Other means of identification	: Not available.			
Only representative	: H2 Compliance. Rubicon Building, CIT Campus, Bishopstown, Cork, Ireland. T: +353 21 4868120, Web page: www.h2compliance.com			
Lubricating oil.	s of the substance or mixture and uses advised against			
Lubricating oil. 1.3 Details of the supplier of	of the safety data sheet			
Lubricating oil.				
Lubricating oil. 1.3 Details of the supplier of	of the safety data sheet Lucas Oil Products, Inc 302 North Sheridan Street Corona, California 92880-2067 Toll Free: (800) 342-2512 Tel: (951) 270-0154 Fax: (951) 270-1902			
Lubricating oil. 1.3 Details of the supplier of Supplier's details e-mail address of person responsible for this SDS	 If the safety data sheet Lucas Oil Products, Inc 302 North Sheridan Street Corona, California 92880-2067 Toll Free: (800) 342-2512 Tel: (951) 270-0154 Fax: (951) 270-1902 Website: www.LucasOil.com Markn@lucasoil.com 			
Lubricating oil. 1.3 Details of the supplier of Supplier's details e-mail address of person responsible for this SDS 1.4 Emergency telephone no	 If the safety data sheet Lucas Oil Products, Inc 302 North Sheridan Street Corona, California 92880-2067 Toll Free: (800) 342-2512 Tel: (951) 270-0154 Fax: (951) 270-1902 Website: www.LucasOil.com Markn@lucasoil.com 			
Lubricating oil. 1.3 Details of the supplier of Supplier's details e-mail address of person	 If the safety data sheet Lucas Oil Products, Inc 302 North Sheridan Street Corona, California 92880-2067 Toll Free: (800) 342-2512 Tel: (951) 270-0154 Fax: (951) 270-1902 Website: www.LucasOil.com Markn@lucasoil.com 			

OIL PRODUCTS INC.	Lucas SAE 80W-90 Gear Oil
SECTION 2: Hazard	s identification
2.1 Classification of the sub	estance or mixture
Product definition	: Mixture
Classification according to Not classified.	D Regulation (EC) No. 1272/2008 [CLP/GHS]
Classification according to	Directive 1999/45/EC [DPD]
The product is classified as	a dangerous according to Directive 1999/45/EC and its amendments.
Classification	: Xn; R20/22
Human health hazards	: Harmful by inhalation and if swallowed.
See Section 16 for the full te	ext of the R phrases or H statements declared above.
See Section 11 for more det	ailed information on health effects and symptoms.
2.2 Label elements	
Signal word	: No signal word.
Hazard statements	: No known significant effects or critical hazards.
Precautionary statements	
General	 P103 - Read label before use. P102 - Keep out of reach of children. P101 - If medical advice is needed, have product container or label at hand.
Prevention	: Not applicable.
Response	: Not applicable.
Storage	: Not applicable.
Disposal	: Not applicable.
Hazard symbol or symbols	
Indication of danger	: Harmful
Risk phrases	: R20/22- Harmful by inhalation and if swallowed.
Safety phrases	: S2- Keep out of the reach of children. S46- If swallowed, seek medical advice immediately and show this container or label.
Hazardous ingredients	: Tris(dipentyldithiocarbamato-S,S')antimony
Supplemental label elements	: Not applicable.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	: Not applicable.
Special packaging require	ments

Containers to be fitted : Not applicable. with child-resistant fastenings

Tactile warning of danger : Yes, applicable.

КĶ

Tel: +1-888-GHS-7769 (447-7769) / +1-450-GHS-7767 (447-7767) www.kmkregservices.com www.askdrluc.com www.ghssmart.com



Lucas SAE 80W-90 Gear Oil

SECTION 2: Hazards identification

2.3 Other hazards

Other hazards which do : None known.

not result in classification

SECTION 3: Composition/information on ingredients

22	Mixtures
J.Z	WIIXLUI 62

: Mixture

			Class	ification	
Product/ingredient name	Identifiers	%	67/548/EEC	Regulation (EC) No. 1272/2008 [CLP]	Туре
Tris(dipentyldithiocarbamato- S,S')antimony	EC: 240-028-2 CAS: 15890-25-2 Index: 051-003-00-9	>=0.25 - <2.5	Xn; R20/22 N; R51/53	Aquatic Chronic 4, H413	[1] [2]

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section.

Туре

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

[3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII

[4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

[5] Substance of equivalent concern

Occupational exposure limits, if available, are listed in Section 8.

See Section 16 for the full text of the R-phrases declared above.

See Section 16 for the full text of the H statements declared above.

SECTION 4: First aid measures

4.1 Description of first aid measures

Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 20 minutes. Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	: Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway.



Lucas SAE 80W-90 Gear Oil

SECTION 4: First aid measures Loosen tight clothing such as a collar, tie, belt or waistband. **Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. 4.2 Most important symptoms and effects, both acute and delayed Potential acute health effects Eye contact : No known significant effects or critical hazards. Inhalation : Harmful by inhalation. Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure. Skin contact : No known significant effects or critical hazards. : Harmful if swallowed. Ingestion **Over-exposure signs/symptoms** Eye contact : No known significant effects or critical hazards. Inhalation : No known significant effects or critical hazards. Skin contact : No known significant effects or critical hazards. Ingestion : No known significant effects or critical hazards. 4.3 Indication of any immediate medical attention and special treatment needed : In case of inhalation of decomposition products in a fire, symptoms may be delayed. Notes to physician The exposed person may need to be kept under medical surveillance for 48 hours. **Specific treatments** No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media			
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.		
Unsuitable extinguishing media	None known.		
5.2 Special hazards arising f	om the substance or mixture		
Hazards from the substance or mixture	: In a fire or if heated, a pressure increase will occur and the container may burst.		
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides Sulfur oxides metal oxide/oxides		
5.3 Advice for firefighters			
Special protective actions for fire-fighters	: No special precaution is required.		





Lucas SAE 80W-90 Gear Oil

SECTION 5: Firefighting measures

Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for
	chemical incidents.

SECTION 6: Accidental release measures

6.1 Personal precautions, pro	tective equipment and emergency procedures	
 For non-emergency personnel No action shall be taken involving any personal risk or without suitable to Evacuate surrounding areas. Keep unnecessary and unprotected personnel. No not touch or walk through spilt material. Avoid breathing were provide adequate ventilation. Wear appropriate respirator when ventilatinadequate. Put on appropriate personal protective equipment. 		
For emergency responders	: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also Section 8 for additional information on hygiene measures.	
6.2 Environmental precautions	: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).	
6.3 Methods and materials for	r containment and cleaning up	
Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.	
Large spill	: Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spill product.	
6.4 Reference to other sections	: See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.	

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
	and can be hazardous. Do not reuse container.



Lucas SAE 80W-90 Gear Oil

SECTION 7: Handling and storage

Advice on general	: Eating, drinking and smoking should be prohibited in areas where this material is
occupational hygiene	handled, stored and processed. Workers should wash hands and face before eating,
	drinking and smoking. Remove contaminated clothing and protective equipment
	before entering eating areas. See also Section 8 for additional information on
	hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

7.3 Specific end use(s)

Recommendations

Not available.Not available.

Industrial sector specific solutions

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker or exposure or environmental releases.

8.1 Control parameters

Occupational exposure limits

Product/ingredient name		Exposure limit values
Tris(dipentyldithiocarbamato-S,S')antimony		EH40/2005 WELs (United Kingdom (UK), 12/2011). TWA: 0.5 mg/m³, (as Sb) 8 hours.
Recommended monitoring : procedures	atmosphere or to of the ventilation protective equip the following: E the assessment limit values and atmospheres - C exposure to che (Workplace atm for the measure	ontains ingredients with exposure limits, personal, workplace biological monitoring may be required to determine the effectiveness of or other control measures and/or the necessity to use respiratory ment. Reference should be made to monitoring standards, such as suropean Standard EN 689 (Workplace atmospheres - Guidance for of exposure by inhalation to chemical agents for comparison with measurement strategy) European Standard EN 14042 (Workplace Guide for the application and use of procedures for the assessment of emical and biological agents) European Standard EN 482 nospheres - General requirements for the performance of procedures ement of chemical agents) Reference to national guidance methods for the determination of hazardous substances will also be

DNELs/DMELs

No DNELs/DMELs available.

PNECs

No PNECs available

8.2 Exposure controls





Lucas SAE 80W-90 Gear Oil

SECTION 8: Exposure controls/personal protection : Use only with adequate ventilation. If user operations generate dust, fumes, gas, Appropriate engineering vapour or mist, use process enclosures, local exhaust ventilation or other controls engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. Individual protection measures **Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk Eye/face protection ŝ, assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. **Skin protection** Hand protection ÷ Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. Personal protective equipment for the body should be selected based on the task **Body protection** ŝ, being performed and the risks involved and should be approved by a specialist before handling this product. Other skin protection : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Use a properly fitted, air-purifying or air-fed respirator complying with an approved **Respiratory protection** ÷ standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. : Emissions from ventilation or work process equipment should be checked to ensure **Environmental exposure** they comply with the requirements of environmental protection legislation. In some controls cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties **Appearance Physical state** : Liquid. [Clear.] Colour Amber. Odour Petroleum. Sulfur. Not available. Odour threshold pH 5 Not available. Melting point/freezing point : Not available. Initial boiling point and boiling : >260°C range **Flash point** : Closed cup: 212.77°C

Tel:+1-888-GHS-7769 (447-7769) / +1-450-GHS-7767 (447-7767) www.kmkregservices.com www.askdrluc.com www.ghssmart.com



Lucas SAE 80W-90 Gear Oil

SECTION 9: Physical and chemical properties

Evaporation rate	1	Not available.
Flammability (solid, gas)	1	Not available.
Upper/lower flammability or explosive limits	:	Not available.
Vapour pressure	1	Not available.
Vapour density	1	Not available.
Relative density	1	0.9042
Solubility(ies)	1	Negligible at 25°C
Partition coefficient: n-octanol/ water	:	Not available.
Auto-ignition temperature	1	Not available.
Decomposition temperature	1	Not available.
Viscosity	1	Kinematic (100°C (212°F)): 0.15 cm ² /s
Explosive properties	1	Not available.
Oxidising properties	:	Not available.

9.2 Other information

No additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	: The product is stable.
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	: No specific data.
10.5 Incompatible materials	: Reactive or incompatible with the following materials: oxidising materials.
10.6 Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Tris(dipentyldithiocarbamato-S,S') antimony	LD50 Dermal	Rabbit	16000 mg/kg	-
	LD50 Oral	Rat	16400 mg/kg	-

Irritation/Corrosion

There is no data available.



Lucas SAE 80W-90 Gear Oil

SECTION 11: Toxicological information			
<u>Sensitisation</u>	<u> </u>		
There is no data available.			
Carcinogenicity			
There is no data available.			
Specific target organ toxici	ty (single exposure)		
There is no data available.			
Specific target organ toxic	ity (repeated exposure)		
There is no data available.			
Aspiration hazard			
There is no data available.			
Information on the likely routes of exposure	: Routes of entry anticipated: Oral, Dermal, Inhalation.		
Potential acute health effects	<u>5</u>		
Eye contact	: No known significant effects or critical hazards.		
Inhalation	 Harmful by inhalation. Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure. 		
Skin contact	: No known significant effects or critical hazards.		
Ingestion	: Harmful if swallowed.		
Symptoms related to the phy	vsical, chemical and toxicological characteristics		
Eye contact	: No known significant effects or critical hazards.		
Inhalation	: No known significant effects or critical hazards.		
Skin contact	: No known significant effects or critical hazards.		
Ingestion	: No known significant effects or critical hazards.		
Delayed and immediate effect	cts and also chronic effects from short and long term exposure		
<u>Short term exposure</u>			
Potential immediate effects	: No known significant effects or critical hazards.		
Potential delayed effects	: No known significant effects or critical hazards.		
<u>Long term exposure</u>			
Potential immediate effects	: No known significant effects or critical hazards.		
Potential delayed effects	: No known significant effects or critical hazards.		
Potential chronic health eff	<u>ects</u>		
General	: No known significant effects or critical hazards.		
Carcinogenicity	: No known significant effects or critical hazards.		
Mutagenicity	: No known significant effects or critical hazards.		
Teratogenicity	: No known significant effects or critical hazards.		
Developmental effects	: No known significant effects or critical hazards.		
Fertility effects	: No known significant effects or critical hazards.		
Other information	: Not available.		

Tel : +1-888-GHS-7769 (447-7769) / +1-450-GHS-7767 (447-7767) www.kmkregservices.com www.askdrluc.com www.ghssmart.com



Lucas SAE 80W-90 Gear Oil

SECTION 12: Ecological information

12.1 Toxicity

There is no data available.

12.2 Persistence and degradability

There is no data available.

12.3 Bioaccumulative potential

There is no data available.

12.4 Mobility in soil	
Soil/water partition coefficient (Koc)	: There is no data available.
Mobility	: Not available.

12.5 Results of PBT and vPvB assessment			
PBT	: Not applicable.		
vPvB	: Not applicable.		

12.6 Other adverse effects

: No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

Product	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	: The classification of the product may meet the criteria for a hazardous waste.
Packaging	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
Special precautions	: This material and its container must be disposed of in a safe way. Care should be taken when handling empty containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.



Lucas SAE 80W-90 Gear Oil

SECTION 14: Transport information

	ADR/RID	ADN	IMDG	ΙΑΤΑ
14.1 UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.
Additional information	-	-	-	-

14.6 Special precautions for user

: **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk: Not available.according to Annex II ofMARPOL 73/78 and the IBCCode

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture <u>EU Regulation (EC) No. 1907/2006 (REACH)</u>

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions : Not applicable. on the manufacture, placing on the market and use of certain dangerous substances, mixtures and

articles

Other EU regulations

Europe inventory

: All components are listed or exempted.

Seveso II Directive

This product is not controlled under the Seveso II Directive.



Lucas SAE 80W-90 Gear Oil

SECTION 15: Regulatory information

15.2 Chemical Safety Assessment : This product contains substances for which Chemical Safety Assessments are still required.

SECTION 16: Other information

1 [[[[[[[[[[[[[[[[]]]]]]]]	CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number vPvB = Very Persistent and Very Bioaccumulative
---	--

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS] Not classified.

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification			Justification	
Not classified.				
Full text of abbreviated H statements	:	H413	May cause long lasting harmful effects to aquatic life.	
Full text of classifications [CLP/GHS]	:	Aquatic Chronic 4, H413	LONG-TERM AQUATIC HAZARD - Category 4	
Full text of abbreviated R phrases	:	R20/22- Harmful by inhalation and if swallowed. R51/53- Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.		
Full text of classifications [DSD/DPD] History	:	Xn - Harmful N - Dangerous for the environment		
Date of issue (dd/mm/yyyy) Version	:	15/07/2014 1		
Revised Section(s)	:	Not applicable.		

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

